

AUTHOR INDEX



A

Aakvik, A., 697n30
Abowd, J., 714n54
Abramovitz, M., 533, 687n23,
919n2, 921, 927, 928, 929
Adkins, L., 58n4
Affleck-Graves, J., 356
Afifi, T., 60n7
Ahn, S., 308, 310, 313, 314, 552, 554
Aigner, D., 88, 102n5, 361, 501,
502, 948
Aitchison, J., 854n4
Aitken, A. C., 207, 208
Akaike, H., 565
Akin, J., 709n48
Albert, J., 922n6
Aldrich, J., 666n2, 667n3
Ali, M., 222n9, 362n24
Allenby, G., 727
Allison, P., 747
Almon, S., 566
Altonji, J., 704n45
Alvarez, R., 286, 320, 333
Amemiya, T., 36n5, 162n1, 167,
194n3, 195, 197, 228n15, 260,
298n14, 310, 389n12, 403n18,
448n21, 461, 462n27, 463,
465, 476, 480n3, 482, 518n25,
519, 538n8, 565n3, 663,
666n2, 672, 672n9, 676,
683n16, 684n17, 685n18, 700,
701, 702, 756n1, 761n9, 767,
771n16, 929, 939n30, 941n32
Anderson, E., 698
Anderson, G., 361n21
Anderson, R., 368n35
Anderson, T., 195, 197, 260, 301n21,
308n27, 402n16, 413
Andrews, D., 133n12, 139, 140,
140n17, 141, 142, 142n19,
143, 448n21, 602, 660
Aneuryn-Evans, G., 156
Angrist, J., 4, 425, 787n28, 789n32
Arabmazar, A., 768
Arellano, M., 308, 309, 310, 314,
315, 554, 690n27, 697,
697n30, 698n31, 708
Arrow, K., 366
Arsanjani, F., 773, 790n34

Ashenfelter, O., 4, 10, 88
Attfield, C., 349n17
Avery, R., 690n26, 694

B

Bai, J., 142, 142n19, 143
Baillie, R., 280, 647n23, 648
Balakrishnan, N., 759n5, 849n1
Balestra, P., 298n15, 301n21,
308n27
Baltagi, B., 284n2, 291n9, 301n21,
316, 318, 319, 341n3, 343n6,
426n1, 698n31
Barnow, B., 788n31
Bartels, R., 343n6, 361
Barten, A., 364n26
Bassett, G., 224, 225, 448, 465
Battese, G., 298n14
Bazzara, M., 934n19
Beach, C., 273, 274
Beck, N., 286, 323, 330, 333, 334,
690n27, 709, 709n48
Beggs, S., 736n63
Bekker, P., 389n12
Bell, W., 608n1
Belsley, D., 58, 61, 943
Ben-Akiva, M., 683n16, 684
Ben-Porath, Y., 284
Bera, A., 225, 771, 772n17
Berk, K., 414
Bernard, J., 579n8
Berndt, E., 12, 103n6, 360n19,
366n29, 366n30, 367n33, 368,
369, 369n36, 481n4, 492n10,
498, 501, 672, 712, 940,
942, 950
Berry, S., 512, 728
Bertschek, I., 441, 442, 515, 694,
700n35, 951
Berzeg, K., 299n17
Beyer, A., 658, 659, 660
Bhargava, A., 300n20,
308n27, 314n32
Bhat, C., 514, 727, 728
Bickel, P., 447
Billingsley, P., 74n8, 261n6
Binkley, J., 343n9
Birkes, D., 448n21
Bissey, M. E., 703n43

Black, F., 352, 354, 355, 356, 357
Blanchard, O., 598, 599n14
Blundell, R., 312n30, 361n21, 673,
679n13, 768n13
Bockstael, N., 773, 790n34
Bollerslev, T., 238, 240, 241, 242,
244, 245, 245n32, 246n34,
249, 949
Bond, S., 308, 309, 310, 312n30
Boot, J., 329n39, 348
Börsch-Supan, A., 714n55, 932n18
Boskin, M., 719
Bover, O., 308, 309, 310, 314, 554,
697n30
Box, G., 173n3, 257n5, 269, 272n14,
274, 608, 608n1, 619, 620,
621, 622, 921
Boyes, W., 673, 685, 713
Brannas, K., 749, 790n34
Bray, T., 921
Breslaw, J., 932n17
Breusch, T., 223, 224n11, 231, 249,
269, 270, 298, 318n34, 327,
350, 506, 769
Brock, W., 669n5
Brown, B., 135, 362n23
Brown, C., 768
Brown, J., 854n4
Brundy, J., 79
Bult, J., 441
Burnett, N., 715, 716
Burnside, C., 550n10
Buse, A., 209n13, 484n5
Butler, J., 690, 692, 693
Butler, R., 448n22

C

Cain, G., 788n31
Caldwell, S., 766
Calzolari, G., 239n24, 244n29
Cameron, C., 740n66, 741n68, 742,
743, 744, 745, 746, 748
Campbell, J., 5, 351n18, 356,
549, 608n1
Cardell, S., 736n63
Carlin, B., 922n6
Carson, R., 774
Casella, G., 922, 923n7
Caudill, S., 666n2

996 Author Index

- Caves, D., 174
Cecchetti, S., 4, 588, 596,
596n13, 599n14, 600, 602,
639, 640
Chamberlain, G., 300n20, 301n22,
436n8, 534n3, 602, 697n29,
697n30, 698, 699, 708,
709, 799
Chambers, R., 362n23
Charlier, E., 702n41
Chatfield, C., 624, 628
Chavez, J., 362n23
Chen, T., 697n30
Chenery, H., 366
Chesher, A., 671n8, 771, 772n17,
776, 793
Cheung, C., 702, 761, 768n12
Cheung, Y., 647, 649
Chiappori, R., 708
Chib, S., 426, 446, 922n6
Chintagunta, P., 728
Chou, R., 240
Chow, G., 130n8, 318n34
Christensen Associates, 949
Christensen, L., 12, 91–92, 103n6,
126, 127, 162, 174, 362n24,
364, 366n29, 366n30, 366n31,
367n33, 368n34, 377, 451,
452, 524, 948, 950
Cleveland, W., 458
Cochrane, D., 273, 274, 275,
318, 360n20
Cockburn, I., 441
Conlen, J., 446
Conniffe, D., 341n3, 343n8
Conway, D., 145, 146
Cooley, T., 379n2
Cornwell, C., 287n5
Coulson, N., 238
Council of Economic Advisors,
946, 947
Cox, D., 153, 156, 173n3, 686n22,
794n37, 799
Cragg, J., 86n13, 199n8, 216n2, 238,
401, 411n25, 413n26, 683n16,
749n74, 770, 776
Cramér, H., 476, 479
Cramer, J., 683n16, 684, 685, 719
Cumby, R., 401, 409, 534n3
- D**
Dahlberg, M., 314, 551, 553, 588,
604, 605, 951
Dale, S., 4
Dastoor, N., 154n5
Davidson, J., 426n1, 540
Davidson, R., 82, 154, 155, 156,
162n1, 164, 167, 170, 178,
179, 182, 190, 196n4, 220,
243, 261, 263n7, 265, 267n10,
343n7, 382n6, 401, 403, 461,
462, 465, 474, 480, 496, 501,
534n3, 621n12, 632n14,
635n15, 655, 656, 678,
679n13, 681, 682
Deaton, A., 154n5, 156,
362n23, 366n30
Debreu, G., 501
Dempster, A., 774
Dent, W., 592n10
DeSarbo, W., 441
Deschamps, P., 361n21
deWitt, G., 329n39, 348
Dezhbaksh, H., 270n13
Dhrymes, P., 74n8, 406n20, 408,
414n27, 573n7, 663, 756n1
Dickey, D., 572, 573, 602, 608n1,
637, 638a, 646
Diebold, F., 159, 160, 558n1, 565n3,
587n9, 595, 608n1
Dielman, T., 284n2
Diewert, E., 366n29, 366n31
Diggle, R., 690n26
DiNardo, J., 449
Ding, Z., 647
Doan, T., 600
Dodge, Y., 448n21
Doksum, K., 447
Domowitz, I., 238
Doob, J., 261n6
Doornik, J., 585
Dreze, J., 125
Duncan, G., 199n6, 220n5, 768n13,
771n15, 789
Durbin, J., 80, 135, 270, 270n12, 273,
275, 414n27
Durlauf, S., 669n5
Dwivedi, T., 340n2, 342
- E**
Efron, B., 683n16, 684, 685, 719,
924n9, 925
Eichenbaum, M., 550n10
Eicker, F., 199n6, 220n5
Elashoff, R., 60n7
Elliot, G., 645
Enders, W., 558n1, 608n1, 617, 621
Engle, R., 216n2, 238, 238n21, 239,
240, 242, 249, 381n5, 382,
558n1, 591, 647, 650n25,
654, 655, 656, 657, 658,
659, 679n13
Epstein, D., 690n27, 709, 709n48
Ericsson, T., 659
Estes, E., 451n24
Evans, G., 636n20
- Evans, J., 135
Evans, M., 849n1
- F**
Fair, R., 113n10, 133n12, 761, 774,
775, 780, 952
Farber, H., 714n54
Farrell, M., 501
Feibig, D., 340n2, 343n6, 347n13, 361
Feldstein, M., 113
Fernandez, A., 669n5, 673, 704
Fernandez, L., 771n15
Ferrier, G., 935n25
Fin, T., 770
Finney, D., 686n22
Fiorentini, G., 239n24, 244n29
Fisher, F., 132
Fisher, G., 155n7, 680n14
Fisher, R., 428, 525
Flannery, B., 705n47, 833n11,
919n2, 920, 928, 929, 934n23,
935n24, 935n25
Fletcher, R., 934n19, 935, 938n29
Florens, J., 790n35
Flores-Lagunes, A., 663
Fomby, T., 174n6, 228n17, 301n21,
322n36, 666n2, 912
Fougere, D., 790n35
French, K., 240
Friedman, M., 8
Frisch, R., 1, 27
Fry, J., 362n23
Fry, T., 362n23
Fuller, W., 228n16, 272n14, 298n14,
572, 573, 602, 624, 637, 638a,
638b, 640a, 646
- G**
Gabrielsen, A., 389n12
Gali, J., 596n13, 602
Gallant, A., 382n6
Garber, S., 86n13, 121n2
Garrett, G., 286, 320, 333
Garvin, S., 341n3
Gaver, K., 155
Geisel, M., 155
Gelfand, A., 922n6
Gelman, A., 446
Gentle, J., 919n2
George, E., 922, 923n7
Gerfin, M., 704, 705
Geweke, J., 565n3, 592n10,
608n1, 647n23, 648, 690n26,
714n55, 930n14, 932n17,
932n18
Ghysels, E., 238, 245
Giaccotto, C., 222n9
Gilbert, R., 924n8

Giles, D., 340n2, 344n12
 Ginter, J., 727
 Gloeckler, L., 697n29
 Godfrey, L., 158, 269, 270, 484, 496, 772n17
 Goffe, W., 935n25
 Goldberger, A., 280n16, 343n8, 359, 360, 387n10, 411n24, 419n30, 436n9, 701, 702, 761, 768n12, 771n15, 788n30, 788n31, 789, 837, 898
 Goldfeld, S., 162n1, 180n12, 223, 249, 403, 933, 938, 938n28, 942n33
 Good, D., 118
 Gordin, M., 264n8, 265
 Gourieroux, C., 152n3, 154n5, 246n34, 512n24, 514, 518n25, 521, 701n38, 772n17, 932n17
 Granger, C., 153n4, 381n5, 558n1, 579, 592, 608n1, 621, 624, 632, 633, 635, 647, 647n23, 650n25, 654, 655, 656, 657
 Greenberg, E., 426, 446, 907n4, 912, 922n6
 Greene, W., 71n6, 91–92, 100n4, 118, 118n1, 126, 127, 186, 287n5, 319, 364, 366n31, 368n34, 377, 429, 441, 442, 451, 452, 501n18, 514, 524, 667n3, 673, 690, 690n27, 693, 696, 698n31, 701, 702, 702n40, 703n44, 712n52, 713, 715, 716, 727, 729, 739, 740n66, 741n68, 745n71, 749, 750, 751, 761, 761n8, 764n10, 766, 768n12, 774, 776, 784n23, 785n25, 790, 790n34, 797n39, 799, 855n6, 917n8, 920, 929, 948, 949, 950, 951, 952
 Greenstadt, J., 938
 Griesinger, H., 693
 Griffin, W., 316
 Griffiths, W., 58, 67n2, 150, 167, 177n9, 209n13, 239n24, 280, 290, 295n12, 297n13, 301n21, 344n12, 347n13, 360n20, 395n14, 413n26, 430n2, 434n6, 436n8, 462n27, 565n3, 608n1
 Griliches, Z., 59, 60n7, 86n13, 211, 274, 329n39, 573n7, 679, 743, 744, 747, 797n41, 924n8
 Grogger, J., 774
 Gronau, R., 782n21
 Grunfeld, Y., 329n39, 340
 Gruvaeus, G., 943n35, 945
 Guilkey, D., 360n19, 367n33, 709n48

Gurmu, S., 58, 741n68, 743, 743n70, 744

H

Haavelmo, T., 378
 Haitovsky, Y., 60n7
 Hajivassiliou, V., 714n55, 932n18
 Hakkio, C., 238
 Hall, A., 140, 142, 158, 159n10, 949
 Hall, B., 481n4, 498, 501, 672, 712, 743, 744, 747, 767n11, 797n41, 919n1, 940, 942, 942n33, 943n35
 Hall, R., 481n4, 498, 501, 525, 526, 548, 549, 672, 712, 940, 942
 Hamilton, J., 263, 265, 280, 558n1, 576, 578, 586, 592n11, 594n12, 595, 608n1, 621n12, 624, 637n21, 646, 650n25, 654
 Han, A., 800
 Hansen, B., 142n18
 Hansen, L., 80n9, 134, 142n18, 526, 534n3, 537, 537n7, 538, 538n8, 542, 545, 549, 690n26, 694
 Härdle, W., 448n21, 453n26, 458, 704n46
 Hartley, M., 565n4
 Harvey, A., 223, 226n13, 232, 233, 236, 242, 243, 249, 558n1, 573n7, 576, 608n1, 632n14, 680
 Hashimoto, N., 344n10
 Hastings, N., 849n1
 Hatanaka, M., 277, 624
 Hausman, J., 80, 81, 82, 213, 301, 301n22, 303, 304, 305, 308, 310, 387n10, 395n14, 408, 414, 481n4, 498, 501, 672, 680n14, 699, 712, 724, 725, 736n63, 743, 744, 747, 761n8, 797n41, 800, 940, 942
 Hayashi, F., 140, 200n9, 264n8, 265, 426n1, 465, 534n3, 540, 914n5
 Heaton, J., 537n7, 542
 Heckman, J., 4, 440n15, 666n2, 672n10, 697, 697n30, 708, 709, 761n7, 780n18, 782n21, 784, 785, 789, 790n35, 855n7
 Heilbron, D., 750
 Hendry, D., 151, 238, 278, 381n5, 382, 558n1, 583, 585, 591, 608n1, 658, 659
 Hensher, D., 719, 723, 726, 729, 729n62, 951
 Heshmati, A., 361
 Hildebrand, G., 102n5, 948

Hildreth, C., 273, 318n34
 Hill, C., 58, 58n4, 67n2, 150, 167, 174n6, 177n9, 209n13, 228n17, 239n24, 280, 290, 295n12, 297n13, 301n21, 322n36, 344n12, 347n13, 360n20, 395n14, 413n26, 430n2, 434n6, 436n8, 462n27, 565n3, 608n1, 666n2, 912
 Hite, S., 59n5
 Hoffman, D., 673, 685, 713
 Holly, A., 382n6
 Holt, M., 360n19
 Holtz-Eakin, D., 313n31, 314, 554, 602
 Honore, B., 451n24, 704n45, 708, 709, 789
 Horn, A., 199n6, 220n5
 Horn, D., 199n6, 220n5
 Horowitz, J., 470, 673, 680n14, 702n41, 703n42, 704, 705, 772n17
 Hosking, J., 647n23
 Hotz, J., 690n26, 694
 Houck, C., 318n34
 Houthakker, H., 215n1
 Hsiao, C., 284n2, 299n16, 301n21, 308n27, 318n34, 385n8, 690n27, 697, 699n34
 Huang, D., 344n11
 Huber, P., 448, 518n25, 519
 Huizinga, J., 401, 409, 534n3
 Hurd, M., 768
 Hurst, H., 647n23
 Hussain, A., 298n14
 Hwang, H., 341n3
 Hyslop, D., 84n10, 709, 710, 714n55, 715

I

Im, E., 341n3
 Imbens, G., 84n10
 Imhof, J., 271
 Inkmann, J., 694
 Irish, M., 671n8, 771, 772n17, 776, 793

J

Jackman, S., 690n27, 709, 709n48
 Jain, D., 728
 Jakobson, G., 709
 Jansen, D., 608n1
 Jarque, C., 225, 762, 771, 772n17
 Jayatissa, W., 134n13
 Jenkins, G., 257n5, 272n14, 608, 608n1, 619, 620, 621
 Jennrich, R. I., 162n1
 Jensen, M., 347n14

998 Author Index

- Jobson, J., 228n16
 Johansen, S., 655, 656, 657, 659
 Johanssen, P., 749
 Johansson, E., 314, 551, 553, 588, 604, 605, 951
 Johnson, N., 672n10, 744, 750, 759n5, 781n20, 849n1, 854n3
 Johnson, R., 58, 118, 324
 Johnson, S., 174n6, 228n17, 301n21, 322n36, 666n2, 912
 Johnston, J., 402n16, 449, 917n8
 Jondrow, J., 504, 505, 524
 Jones, J., 708
 Joreskog, K., 349n15, 919n1, 943n35, 945
 Jorgenson, D., 79, 162, 362n24, 366n29, 366n30, 367n32, 367n33, 573
Journal of Applied Econometrics, 426n1, 553, 951
Journal of Business and Economic Statistics, 146, 426n1, 787n28
Journal of Econometrics, 426n1
 Joyeux, R., 647n23
 Judd, K., 919n2
 Judge, G., 58, 67n2, 150, 167, 168, 177n9, 209n13, 239n24, 280, 290, 295n12, 297n13, 301n21, 344n12, 347n13, 360n20, 395n14, 413n26, 426, 430n2, 434n6, 436n8, 462n27, 518n25, 540, 565n3, 608n1, 666n2, 878n1, 937n27, 941
 Juselius, K., 657
- K**
 Kalbfleisch, J., 771, 790n35, 794, 795, 797, 799
 Kamlich, R., 146
 Kang, H., 635n17
 Kaplan, E., 797, 798, 800
 Katz, J., 286, 323, 330, 333, 334
 Kay, R., 683n16, 684
 Keane, M., 690n26, 709, 714n55, 932n17, 932n18
 Kelejian, H., 403, 404
 Kelly, J., 394n13
 Kenkel, D., 790
 Kennan, J., 794, 800, 952
 Kennedy, W., 919n2
 Kerman, S., 341n3
 Keuzenkamp, H., 3n2
 Keynes, J., 1, 8
 Kiefer, N., 225, 712n51, 756n2, 790n35, 794, 797, 799, 800
 Killian, L., 595, 600
 Kim, H., 703n42
 Kim, I., 645
 Kim, M., 949
 Kiviet, J., 307n26, 361n21
 Klein, L., 381, 950
 Klein, R., 704, 705, 706
 Klepper, S., 86n13
 Kmenta, J., 125, 129, 212, 229, 236, 248, 299, 322n36, 327, 347, 349n16, 367n33, 917n9, 924n8
 Knapp, L., 680n14
 Knight, F., 501
 Kobayashi, M., 134, 134n13
 Koenker, R., 224, 225, 448, 449n23, 450, 465
 Kotz, S., 672n10, 744, 750, 759n5, 781n20, 849n1, 854n3
 Kraft, D., 242, 249
 Krailo, M., 698n31
 Kroner, K., 240
 Krueger, A., 4, 10, 88
 Kuh, E., 58, 61
 Kumbhakar, S., 361, 501n18
 Kyriadizou, T., 702n41, 708, 709, 789
- L**
 L'Ecuyer, P., 920
 Lahiri, K., 284n2
 Laird, N., 774
 Laisney, F., 673
 Lambert, D., 750, 751, 774
 Lancaster, T., 671n8, 697, 756n2, 772n17, 790n35, 794, 794n37, 797
 Land, K., 441
 Landers, A., 59n5
 Landwehr, J., 708
 Lange, P., 286, 320, 333
 Lau, L., 162, 362n24, 366n30, 367n33
 Lawless, J., 799
 Layson, K., 173n5, 498n16
 Leamer, E., 86n13, 436n8, 878n1
 LeCam, L., 480n3
 Lechner, M., 441, 442, 515, 673, 694, 700n35, 951
 Lee, L., 283n1, 284n2, 743, 771, 772n17
 Lee, M., 284n2, 702n41, 756n1, 771n15, 771n16
 Lee, T., 58, 67n2, 150, 167, 177n9, 209n13, 239n24, 280, 290, 295n12, 297n13, 301n21, 344n12, 347n13, 360n20, 395n14, 413n26, 430n2, 434n6, 436n8, 565n3, 608n1
 Leff, Nathaniel, 40
 Lerman, R., 714, 932n16
 Lerman, S., 673, 683n16, 684
 LeRoy, S., 379n2
 Levi, M., 86n13
 Levinsohn, J., 512, 728
 Lewbel, A., 452, 453, 704n45, 708
 Lewis, H., 782n21
 Lewis, S., 923n7
 Li, W., 238n21
 Liang, P., 690n26
 Lilien, D., 238, 240
 Lillard, L., 317n33
 Ling, S., 238n21
 Lintner, J., 352, 353, 356
 Litterman, R., 586, 595
 Little, S., 683n16, 684
 Liu, T., 102n5, 413, 414, 948
 Ljung, G., 269, 622
 Lo, A., 5, 351n18, 356, 647
 Loeve, M., 910
 Long, S., 5, 756n1
 Longley, J., 58, 948
 Louviere, J., 726
 Lovell, K., 102n5, 367n33, 501, 501n18, 502, 504, 505, 524, 948
 Low, S., 673, 685, 713
 Lu, J., 273
 Lucas, R., 587, 658, 659
 Lumsdaine, R., 142n19
 Lutkepohl, H., 558n1, 589, 590
- M**
 MacDonald, G., 448n22
 MacKinlay, A., 5, 351n18, 356
 MacKinnon, J., 82, 154, 155, 156, 162n1, 164, 167, 170, 178, 179, 182, 190, 196n4, 199n6, 220, 220n5, 243, 261, 263n7, 265, 267n10, 273, 274, 343n7, 382n6, 401, 403, 461, 462, 465, 474, 480, 496, 501, 534n3, 621n12, 678, 679n13, 681, 682
 MacCurdy, T., 310, 666n2, 697, 709
 Maddala, G., 60n6, 284n2, 297n13, 298n14, 299n18, 430n2, 573n7, 636n19, 645, 663, 667n3, 672n9, 683n16, 695, 715, 716, 727, 756n1, 761n9, 768, 781n20, 786, 787n27, 788n31, 849n1, 907n3, 917n6
 Magnac, T., 708
 Magnus, J., 3n2, 837n14
 Malinvaud, E., 162n1, 538n8
 Mandy, D., 361
 Mankiw, G., 549
 Mann, H., 74n8, 260, 636

Manski, C., 536, 673, 702n41,
703n42, 703n44, 704, 704n46,
707, 708, 709, 714, 780n18,
789, 932n16
 Marcus, A., 739
 Mariano, R., 403, 406
 Markowitz, H., 352, 353
 Marsaglia, G., 921
 Martins, M., 789
 Martins-Fillho, C., 361
 Materov, I., 504, 505, 524
 Matyas, L., 284n2, 534n3
 Matzkin, R., 704, 704n45
 Mazodier, P., 316
 Mazzeo, M., 675, 703, 951
 McAleer, M., 152n3, 155n7, 238n21
 McCallum, B., 69n5, 88
 McConnell, K., 773, 790n34
 McCullagh, P., 147, 743, 745n71,
746, 747, 952
 McCullough, B., 113, 170, 238n21,
239n24, 245n32, 246n34,
576, 579
 McDonald, B., 356
 McDonald, J., 448n22, 766
 McElroy, M., 345
 McFadden, D., 319, 461, 465, 482,
512, 534n3, 540, 550n10,
558n1, 663, 683, 683n16,
684n17, 714, 719, 724,
724n60, 727, 932, 932n17
 McKelvey, W., 683n16, 684, 685, 736
 McKenzie, C., 684
 McLaren, K., 360n19, 362n23
 Mead, R., 935n24
 Meese, R., 565n3, 592n10
 Meier, P., 797, 798, 800
 Melenberg, B., 448n22, 702n41, 708,
762, 768n13, 770, 771
 Melino, A., 497
 Merton, R., 240
 Messer, K., 220n6
 Meyer, B., 800
 Miller, D., 168, 177n9, 426, 430n2,
518n25, 540
 Miller, R., 608n1
 Mills, T., 238n21, 558n1, 608n1, 621
 Min, C.-K., 923n7
 Minhas, B., 366
 Mittelhammer, R., 168, 177n9, 426,
430n2, 518n25, 540
 Mizon, G., 153, 154n5, 253, 278, 360,
361n21, 582
 Moffitt, R., 690, 692, 693, 766, 768
 Monfort, A., 152n3, 154n5, 246n34,
512n24, 514, 518n25, 521,
701n38, 772n17, 932n17
 Moody's Industrial Manual, 950
 Moro, D., 360n19

Moschino, G., 360n19
 Mouchart, M., 790n35
 Mount, T., 299n18, 855n5
 Mroz, T., 51, 786, 947
 Muellbauer, J., 362n23, 366n30
 Mullahy, J., 666n2, 749, 750, 774, 779
 Muller, M., 921
 Mundlak, Y., 294n10
 Murphy, K., 184, 509, 510, 785n26

N

Nagin, D., 441, 680n14
 Nakamura, A., 414n27, 764n10
 Nakamura, M., 414n27, 764n10
 Nakosteen, R., 669, 670, 786, 787
*National Income and Product
Accounts*, 951
 National Institute of Standards and
Technology (NIST), 833n12
 Nelder, J., 147, 743, 745n71, 746,
747, 935n24, 952
 Nelson, C., 343n9, 635n17, 636n18
 Nelson, F., 666n2, 667n3, 764n10,
768, 771, 772n17
 Nelson, R., 448n22
 Nerlove, M., 124, 125n3, 126, 127,
270n13, 295n11, 298n15,
299n16, 301n21, 308n27, 364,
366n30, 451, 524, 573n7,
608n1, 721n57, 950
 Neudecker, H., 837n14
 Neumann, G., 772n17
New York Post, 759n6
 Newbold, P., 558n1, 579, 608n1, 621,
624, 632, 633, 635
 Newey, W., 140, 200, 267, 280,
313n31, 314, 461, 465, 482,
534n3, 540, 546, 549, 550,
550n10, 554, 602, 645,
697n30, 771n16, 772n17,
780n18, 789
 Neyman, J., 697
 Nickell, S., 300n19, 307n26

O

O'Halloran, C., 690n27
 Oates, D., 794n37
 Oaxaca, R., 53
 Oberhofer, W., 212, 229, 236, 248,
299, 327, 347, 349n16
 Obstfeld, M., 401, 409, 534n3
 Ohtani, K., 133, 134, 222n8,
344n10
 Olsen, R., 480, 767
 Orcutt, G., 273, 274, 275, 318,
360n20, 766

Ord, S., 152n2, 473, 474, 477,
530n1, 849n1
 Orme, C., 243, 683
 Osterwald-Lenum, M., 657
 Ouliaris, S., 656

P

Pagan, A., 223, 224n11, 231, 240,
249, 298, 318n34, 327, 350,
453n26, 456, 460, 465,
505n20, 506, 507, 534n3,
565n4, 608n1, 769, 771n15,
772, 772n17, 776, 880
 Pagano, M., 565n4
 Pakes, A., 512, 714n55, 728
 Panattoni, L., 239n24, 244n29
 Panel Study of Income
Dynamics, 947
 Park, R., 283n1
 Parks, R., 360
 Patterson, K., 426n1, 558n1,
608n1, 621
 Peacock, B., 849n1
 Perron, P., 142n19, 608n1,
635n15, 644
 Pesaran, B., 682
 Pesaran, H., 152n3, 155, 156, 156n9,
158, 284n2
 Pesaran, M., 153n4, 158, 159,
159n10, 501n18, 682, 949
 Petersen, D., 768
 Petersen, T., 792n36
 Phillips, A., 251
 Phillips, G., 223, 361n21
 Phillips, P., 401, 634, 635, 635n15,
644, 656
 Pierce, D., 269, 274, 622
 Pike, M., 698n31
 Ploberger, W., 140, 141, 142, 143,
602, 660
 Plosser, C., 636n18
 Poirier, D., 121n2, 426, 430n2, 497,
714n54, 849n1, 878n1, 930n14
 Polachek, S., 146
 Pollard, D., 714n55
 Pollard, J., 703n42
 Porter-Hudak, S., 647n23, 648
 Powell, J., 448n22, 771,
771n16, 780n18
 Powell, M., 943n35
 Prais, S., 215n1, 273, 274, 275, 318,
325, 326, 360n20
 Prentice, R., 697n29, 771, 790n35,
794, 795, 797, 799
 Press, S., 721n57
 Press, W., 705n47, 833n11, 919n2,
920, 928, 929, 934n23,
935n24, 935n25

1000 Author Index

Psychology Today, 774

Puterman, M., 441

Q

Quah, D., 598, 599n14

Quandt, R., 162n1, 223, 249, 403,
529, 537n6, 788n31, 933,
934n19, 935, 938, 938n28,
942n33, 943n35

Quester, A., 761, 766

R

Raftery, A., 923n7

Raj, B., 284n2

Ramaswamy, V., 441

Rao, C., 479, 697n29, 909, 912,
928, 940n31

Rao, P., 211, 274, 924n8

Rasch, G., 698

Reirssøl, O., 387n10

Renault, E., 701n38, 772n17

Renfro, C., 238n21, 239n24,
245n32, 246n34

Revankar, N., 190, 343n8, 364n27,
449, 498-499, 505, 949

Revelt, D., 728

Review of Economics and Statistics,
714n55, 728, 932n17

Rich, R., 4, 588, 596, 599n14, 600,
639, 640

Richard, J., 153, 154n5, 253, 381n5,
382, 591, 658, 659

Ridder, G., 307n26

Rilstone, P., 58

Rivers, D., 772n17

Roberts, G., 923n7

Roberts, H., 145, 146

Robins, R., 238, 240

Robinson, C., 669n5

Robinson, P., 771n16

Rodgers, J., 935n25

Rodriguez-Poo, J., 669n5,
673, 704

Rogers, W., 448

Rosen, H., 313n31, 314, 554, 602

Rosen, S., 669n5, 788n29

Rosenblatt, D., 455

Rosett, R., 764n10

Rothenberg, T., 645

Rothschild, M., 238n21

Rubin, D., 446, 774

Rubin, H., 402n16, 413, 636

Runkle, D., 690n26, 932n17

Ruud, P., 165, 263, 426n1, 428, 674,
701n38, 702, 736n63, 772,
772n17, 932, 932n17

S

Salcm, D., 855n5

Salmon, M., 225

Sargan, J., 300n20, 308n27,
314n32, 608n1

Savin, E., 360n19, 492n10

Savin, N., 636n20, 958

Sawtooth Software, 447n20

Schimek, M., 458

Schipp, B., 361n21

Schmidt, P., 102n5, 118, 133, 287n5,
308, 310, 313, 314, 341n3,
360n19, 399n15, 403n17,
407n21, 501, 501n18, 502,
504, 505, 524, 552, 554, 719,
720, 768, 770, 948

Schwert, W., 240, 644, 646

Scott, E., 697

Seaks, T., 100n4, 118n1, 173n5,
498n16, 680n14

Segerson, K., 362n23

Sen, A., 140, 142

Sepanski, J., 709n48

Sevestre, P., 284n2

Shapiro, M., 596n13, 602

Sharpe, W., 352, 353, 356

Shaw, D., 757n4, 773, 774

Shephard, R., 366

Shetty, C., 934n19

Shumway, R., 624

Sickles, R., 118, 133, 283n1,
367n33, 709n48

Silk, J., 409n22

Silva, J., 154n6, 682, 683

Silver, J., 362n24

Simar, L., 283n1

Sims, C., 381n5, 586, 588,
592, 592n10

Singer, B., 440n15, 790n35

Singleton, K., 526, 534n3, 549

Siow, A., 438, 439

Smith, A., 922n6

Smith, V., 790n34

Snyder, J., 666n2

Social Security Administration, 787

Solow, R., 144, 145, 284n4,
366, 949

Sorbom, D., 919n1

Sowell, F., 141

Spady, R., 704, 705, 706

Spector, L., 675, 703, 951

Spencer, D., 414

Srivastava, K., 342

Srivastava, V., 340n2, 344n12

Staiger, D., 80n9, 251

Stambaugh, R., 240

Stata, 449n23, 690n26

Statistical Abstract of the United

States, 760

Stegun, I., 533, 687n23, 919n2, 921,
927, 928, 929

Stern, H., 446

Stern, S., 58, 932n17

Stock, J., 80n9, 142n19, 251, 587n9,
592n10, 608n1, 645, 653, 654,
655, 656

Stoker, T., 702

Stone, R., 362n23

Strand, I., 773, 790n34

Strang, G., 826n7

Strauss, R., 719, 720

Strickland, A., 404

Stuart, A., 152n2, 473, 474, 477,
530n1, 849n1

Suits, D., 118n1, 289n8

Susin, S., 799

Swait, J., 726

Swamy, P., 318n34, 319, 319n35

T

Tanner, M., 922n6

Taqqu, M., 647n23

Tauchen, H., 693

Tavlas, G., 318n34, 319n35

Taylor, L., 448n21

Taylor, W., 82, 211, 219n4, 301n22,
303, 304, 305, 308, 310

Telser, L., 342n5

Terza, J., 719, 745n71, 749, 774,
790, 790n34

Teukolsky, S., 705n47, 833n11,
919n2, 920, 928, 929, 934n23,
935n24, 935n25

Theil, H., 86n13, 113n11, 273,
344n12, 401, 403n17, 406,
436n9, 826n6, 833n13,
889, 917n7

Thompson, S., 702n41, 703n42

Thornton, D., 608n1

Thursby, J., 134n13,
223n10, 368n35

Tibshirani, R., 924n9, 925

Tobin, J., 761, 764

Tomes, N., 669n5

Topel, R., 184, 509, 510, 785n26

Toyoda, T., 133, 222n8

Train, K., 319, 445, 447, 512,
514, 728

Trethaway, M., 174

Trivedi, P., 565n4, 740n66, 741n68,
743, 743n70, 744, 745,
746, 748

Trognon, A., 154n5, 246n34, 316,

518n25, 521, 701n38, 772n17

Trotter, H., 938

Trumble, D., 238

Author Index 1001

Tsay, R., 558n1
 Tunali, I., 669n5, 686

U

U.S. Department of Commerce, 951
 Uhler, R., 683n16
 Ullah, A., 240, 453n26, 456, 460,
 465, 880

V

van Praag, B., 714n53
 van Soest, A., 448n22, 702n41, 708,
 762, 768n13, 770, 771
 Veall, M., 579n8, 683n16, 684, 685
 Vella, F., 505n20, 507, 534n3,
 771n15, 772, 772n17, 776
 Vetterling, W., 705n47, 833n11,
 919n2, 920, 928, 929, 934n23,
 935n24, 935n25
 Vilcassim, N., 728
 Vinod, H., 170
 Volker, P., 155n7
 Vuong, Q., 751, 772n17, 779
 Vytlačil, E., 697n30

W

Wald, A., 74n8, 260, 636
 Waldman, D., 224, 768
 Walker, J., 771n16, 780n18
 Walker, M., 362n23

Wallace, T., 298n14
 Wallis, K., 270n13
 Wang, P., 441
 Wansbeek, T., 307n26, 389n12
 Watson, G., 270n12, 275
 Watson, M., 251, 587n9, 592n10,
 596n13, 602, 608n1, 650n25
 Waugh, F., 27
 Webster, C., 907n4, 912
 Wedel, M., 441
 Weeks, M., 152n3, 155, 156n9, 683
 Weiss, A., 245n34, 790n34
 Weiss, L., 404
 Welsch, R., 58, 61
 Wertheimer, R., 766
 West, K., 140, 200, 267, 280, 309n29,
 546, 549, 550, 645
 White, H., 67n3, 80n9, 106, 152n3,
 178, 190, 199n6, 199n7, 200,
 220n5, 220n6, 245, 246n34,
 261, 263, 264n8, 265, 267,
 382n6, 448n22, 518n25, 540,
 546, 673, 674, 897n1,
 910, 914n5
 White, K., 958
 White, S., 448n22
 Wichern, D., 58, 324
 Wickens, M., 88, 534n3
 Willis, R., 317n33, 669n5,
 788n29, 855n7
 Windmeijer, F., 683n16, 741n68, 742
 Winkelmann, R., 740n66, 744,

745n71, 774, 790n34
 Winsten, C., 273, 274, 275, 318, 325,
 326, 360n20
 Wise, D., 680n14, 725, 761n8
 Witte, A., 693, 761
 Wong, W., 707
 Wood, D., 368, 369, 369n36, 950
 Wooldridge, J., 14, 112n9, 245,
 245n32, 246n34, 382n6,
 403n18, 691n28, 740n66
 Working, E., 378, 386n9
 Wu, D., 80, 82, 83, 414n27
 Wynand, P., 714n53

Y

Yaron, A., 537n7, 542
 Yatchew, A., 450, 451, 452, 679
 Yoo, B., 656

Z

Zarembka, P., 173n3
 Zavoina, R., 683n16, 684, 685, 736
 Zeger, S., 690n26
 Zellner, A., 125, 190, 341n4, 342,
 344n11, 381n5, 406, 430n2,
 431n3, 432n4, 434n6, 436n11,
 438, 439, 444, 449, 498-499,
 505, 878n1, 923n7, 949
 Zimmer, M., 669, 670, 786, 787
 Zimmermann, K., 683n16, 684, 685

SUBJECT INDEX



- A**
accelerated failure time models, 796
acceptance region, 892
ACF. *See* autocorrelation function (ACF)
addition, 804–805, 809, 823
ADF-GLS procedure, 645
adjusted R -squared, 34–36, 40, 159.
See also coefficient of determination (R^2)
adjustment equation, 568
admissible, 389, 395
age
correlation with
education/income, 9
labor force participation model, 681
probit model example, 669
regression approach, 665
as socioeconomic variable, 54
aggregation bias, 341
Ahn-Schmidt estimator, 313
Aitken's Theorem, 207–208
Akaike information criterion, 36, 159–160, 565, 589, 644
algorithms
BFGS algorithm, 170
BHHH algorithm, 242, 795
EM algorithm, 774
iterative algorithm, 935, 943
Metropolis–Hastings algorithm, 445–446
Oberhofer-Kmenta algorithm, 299
variable metric algorithm, 939
Almon lag, 566
almost sure convergence, 900–901, 905
alternative estimators, 180–189
alternative hypothesis, 95–98, 681
analog estimation, 536
analysis of behavior, 7
analysis of covariance, 118–120
analysis of variance, 33–38, 867
analytic function, 926
APC (average propensity to consume), 2
AR(1) model
alternatives to, 609
autocorrelation and, 581–583
disturbance processes, 257–259
Ergodic Theorem, 260
gross correlation and, 617
Grunfeld investment model, 332
linear least squares, 622
panel data model, 317
restrictions and, 584–585
serial correlation, 273–274
spectral density function, 626–627
stability condition, 573
testing unit roots, 636–637
AR(2) model
ACF and PACF example, 622–623
restrictions and, 584–585
serial correlation, 272, 274
stationarity requirement, 613
testing common factor restrictions, 586
ARCH-in-mean model, 240–242
ARCH model, 216, 238–242, 244
ARDL. *See* autoregressive distributed lag (ARDL) model
Arellano, Bond, and Bover estimator, 308
ARFIMA model, 647–649
ARIMA model, 632
ARMA model. *See* autoregressive-moving average (ARMA) model
associative law, 806
assumption 1, 163
asymptotic covariance matrix
BHHH algorithm, 795
BHHH estimator, 507n22, 512, 741, 773, 797
CES production function, 129
defined, 915
estimating, 71, 77–78
GLS estimator and, 212, 321, 342
GMM estimator, 140, 204, 409–410
Hausman test, 302
instrumental variable estimator, 79
Lagrange multiplier test, 489, 492
MLE, 347, 498, 500, 672–673, 688
MPC example, 110
MSL estimation, 514
OLS estimation, 216–217, 323
parameter estimator and, 169
Phillips curve example, 569
production function example, 499
QMLE, 673–674
robust estimation of, 198–201
stochastic frontier model, 504
theorem, 184
Wald statistic, 550
weighting matrix and, 312
asymptotic distribution
delta method, 70
of empirical moments, 542
of GMM estimator, 543
in GR model, 196–197
with independent observations, 68
large sample distribution theory, 914–918
least squares estimator and, 105
nonlinear instrumental variables estimator, 183
theorem, 77
asymptotic efficiency
defined, 70–71, 916
MLE property, 473, 479–480
as statistical property, 460
asymptotic expectations, 917–918
asymptotic moments, 918
asymptotic negligibility, 264
asymptotic normality
consistency, 72
definition, 916
GMM estimator, 543
of least squares, 195, 260
least squares estimator, 69
M estimators theorem, 464
MLE property, 473, 478–479
nonlinear least squares estimator, 167–169
regression estimation, 621
Slutsky Theorem, 184
as statistical property, 460
stochastic regressors, 74
asymptotic properties
assumptions, 461–463
defined, 885
of estimators, 464–465
of instrumental variables estimator, 196–197

- least squares, 65–74, 194–196, 265–267
 MCSE, 688
 method of moments estimator, 531–533
 MLE, 476–482, 493, 689
 of parameter estimators, 65
 of regression models, 72
 asymptotic uncorrelatedness, 264
 asymptotic variance, 479–482
 attenuation, 83–90, 761
 attributes, 720
 augmented Dickey-Fuller test, 643, 646, 658
 autocorrelation. *See also* nonautocorrelation
 ARDL models, 571, 581–582
 defined, 15
 of disturbances, 545
 Durbin-Watson test and, 126
 estimation of models with, 274–276
 forecasting and, 279–280
 generalized regression model and, 191
 GLS estimator and, 209
 GNP deflator, 634
 Grunfeld investment model, 333
 labor force participation study, 710
 long memory models, 647
 models with, 195
 negative autocorrelation, 251–253, 647
 panel data, 317–318, 324–326
 stationarity assumption and, 258–259
 of stationary stochastic process, 614–616
 SUR model, 360–362
 testing for, 268–271
 time-series data and, 192, 255–256
 autocorrelation coefficient, 256
 autocorrelation function (ACF)
 AR(2) model, 622–624
 of AR process, 618
 correlogram as counterpart, 621
 gross correlation, 617
 moving-average process and, 616
 spectral density function, 626
 stationary stochastic processes, 614
 autocorrelation matrix, 256
 autocovariance, 256, 264, 626, 630
 autocovariance at lag k , 612, 625
 autocovariance function, 614, 625
 autocovariance matrix, 256
 autoregression. *See* AR(1) model;
 univariate autoregression;
 vector autoregression (VAR)
 autoregressive, fractionally
 integrated, moving-average (ARFIMA) model, 647–649
 autoregressive conditional
 heteroscedasticity, 238–246
 autoregressive distributed lag (ARDL) model, 571–579, 660
 autoregressive form, 257, 563, 611
 autoregressive integrated
 moving-average (ARIMA) model, 632
 autoregressive moving-average (ARMA) model
 ADF-GLS procedure, 645
 ARCH model and, 240
 autocorrelation of stationary stochastic process, 614–616
 frequency domain, 624–631
 nonstationary processes, 631–632
 parameters for univariate time series, 621–624
 partial autocorrelation, 617–619
 stationarity and invertibility, 611–614
 stationary stochastic processes, 609–611
 univariate time series, 619–621
 Yule-Walker equations for, 616
 average propensity to consume (APC), 2
B
 bandwidth, 454–456, 458
 Bartlett window, 628, 645
 basis for a vector space, 813
 basis vectors, 811
 Bayes factor, 153, 438–439
 Bayesian estimation, 290, 318, 426, 429–439, 461, 512
 Bayesian information criterion, 36, 152–153, 160, 589, 644
 Bayes theorem, 429–430, 437–443
 behavioral equations, 380
 Behrens-Fisher problem, 133n11
 Ben-Akiva measure, 719
 Bernoulli distribution, 855
 Bernstein-von Mises Theorem, 447
 best linear unbiased (BLU), 193
 best linear unbiased estimator (BLUE), 890
 beta
 consistency of least squares estimator, 66–67
 Gauss-Markov theorem, 48
 least squares and, 84
 beta distribution, 855
 beta function, 928
 beta kernel, 455
 beta parameter, 65
 between-groups estimator, 289–290
 BFGS algorithm, 170
 BFGS method, 939
 BHHH algorithm, 242, 795
 BHHH estimator
 asymptotic covariance matrix, 741, 773, 797
 condition moment tests, 507
 example, 482
 GMM estimation, 550
 hypothesis tests and, 673, 678
 Lagrange multiplier test, 490, 492, 500, 769
 likelihood test, 491
 MLE and, 481
 production function example, 499
 pseudo-MLE, 246, 520
 two-step MLE, 511–512
 bias
 aggregation bias, 341
 biased test, 894
 fixed effects models, 697
 least squares estimator and, 679
 measurement error and, 85
 model and, 160
 omission of relevant variable and, 148–149
 pretest estimator and, 150
 in sampling, 673
 simultaneous-equations bias, 379n3, 396
 testing aggregation bias, 341
 truncated regression model, 761
 biased estimator, 150
 binary choice models
 bivariate probit models, 710–719
 data, 951
 dynamic binary choice models, 708–710
 estimation and inference, 670–689
 estimator comparisons, 705
 goodness of fit measure, 683–686
 hypothesis testing, 676–678
 individual effects example, 700
 latent regression, 668–670
 log-likelihood function, 688
 marginal effects, 674–676, 712–713
 maximum score estimator, 702–704
 MSL estimation, 514–517

1004 Subject Index

- binary choice models (*continued*)
 multivariate probit models, 710–719
 proportions data, 686–689
 random utility models, 670
 regression, 665–668
 sample selection, 713–714
 semiparametric analysis, 700–702
 semiparametric estimation, 452–453, 704–706
 specification tests, 679–683
binary variables
 categories, 117–118
 groupings, 118–120
 marginal effect, 740
 probability model example, 676
 in regression, 116–117
 spline regression, 121–122
binomial distribution, 856
bivariate distribution, 781–782, 863–868
bivariate probit models, 710–719
bivariate random variables, 862–864
bivariate regression, 22–23, 453
block diagonal matrix, 823–824
Boot-de Witt data, 348
bootstrapping
 computation, 920, 924–925
 discrete choice models, 702–703
 inference, 113
 lagged variables, 579, 595, 600
box and whisker plot, 879–882
Box-Cox regression model, 498, 500–501
Box-Cox transformation, 171, 173–175, 179
Box-Jenkins methods, 619–621, 649
Box-Ljung statistic, 274, 276, 623–624
Box-Pierce statistic, 271, 274, 276, 622–624
Box-Pierce test, 269–270
Breusch-Godfrey test, 269–270
Breusch-Pagan LM test, 223–225, 769
Broyden-Fletcher-Goldfarb-Shanno (BFGS) method, 939
Broyden's method, 939
Bureau of Economic Analysis (BEA), 282
Butler and Moffitt method, 692–694, 700, 715
- C**
calculus, matrix algebra, 837–845
CAN estimators, 460, 473, 917
CAN functions, 480n3
canonical correlation, 657, 659
capital asset pricing model (CAPM), 240, 339, 351–357
Cauchy-Schwartz inequality, 92, 904
causality, 381–382, 590, 593
CDF. *See* cumulative distribution function (CDF)
censored data
 estimation, 766–768
 normal distribution, 762–764
 specification, 768–773
 tobit model, 764–766
censored regression (tobit) model, 764–766
censored variables, 762–763
censoring
 applications, 774–780
 dependent variables, 761
 heteroscedasticity and, 768
 model for counts, 773–774
central limit theorem. *See also* Lindberg-Feller central limit theorem; Lindberg-Levy central limit theorem; Lyapounov central limit theorem
 chi-square and, 108
 consistent estimation, 527
 convergence to normality, 262–265
 dependent observations and, 260
 depicted, 911
 GMM estimation, 542
 Gordin's central limit theorem, 265
 large sample distribution theory, 908–913
 limiting normal distribution, 532
 martingale difference, 263, 273, 463, 542
 moment condition tests, 506–507
 random variables, 859
central moments, 529, 848
CES (constant elasticity of substitution), 129, 162
ceteris paribus analysis, 28
characteristic equation, 574, 614, 825
characteristic roots, 825–827, 830–831
characteristics, 720
characteristic vectors, 825–827, 830
Chebychev's inequality, 848, 898, 903
Chebychev theorem, 463, 900–901, 912
chi-squared distribution
 degrees of freedom and restrictions, 110, 678
 distribution theory, 851–853
 Lagrange multiplier statistic, 177, 489
 Lagrange multiplier test, 224
 noncentral chi-squared distribution, 487n8
 normal disturbances and, 104–105
 statistical tables, 955
 Wald criterion, 96, 302
chi-squared statistic
 degrees of freedom, 155
 Hausman test and, 699
 testing restrictions, 172
 choice based sampling, 673, 730
 choice models, 719–735
Cholesky decomposition, 922n4
Cholesky factor, 445–446, 832, 932
Chow test, 130n8, 132–133, 135–136, 139, 681
Civil Aeronautics Board, 118
classical regression
 Bayesian analysis, 430–434
 estimator case, 204
 gross correlation and, 617
 heteroscedasticity and, 314, 323
 homoscedastic disturbance and, 215
 marginal effects, 560
 nonstochastic regressors and, 590–591
 normal linear model, 872–873
 ordinary least squares and, 341
 panel data, 289
 posterior odds for, 438–439
 weighted least squares, 240
closed-form solution, 934
CMLE (conditional maximum likelihood estimator), 699
Cobb-Douglas model
 LAD estimation, 449–450
 log linear model, 12
 Nerlove's study and, 125–126
 nonnormal disturbances, 502
 production function example, 102–104, 498–499
 systems of equations, 363–365
 translog cost function, 366–367
Cochrane-Orcutt estimator, 273–275, 318, 360n20
coefficient of determination (R^2). *See also* adjusted R -squared
 analysis of variance, 34, 867
 classical regression, 686
 comparing models, 37–38
 constant term and, 36–37
 depicted, 33
 hypothesis testing, 678
 Lagrange multiplier as, 680, 940

- multiple regression, 35
- nonlinear setting and, 943
- significance of regression, 54–55
- theorem, 34
- coefficients
 - changes in subsets, 132–133
 - as elasticities, 123
 - individual regression, 27
 - linear restrictions on, 122
 - significant effects, 739n65
 - testing hypotheses about, 50–52, 676
- cofactor, 817, 840
- cointegrating rank, 652, 659
- cointegrating vectors, 650, 652–653, 659
- cointegration
 - common trends, 653–654
 - German money demand, 657–660
 - long memory models, 647
 - testing for, 655–657
 - VAR representations, 654–655
- cointegration relationship, 658
- collinearity, 154, 470
- column rank, 814–815
- column space, 814–815
- column vector, 803, 816n3
- common factor, 583–586
- common factor model, 278–279
- common trend, 653–654
- compactness, 461
- completeness condition, 384
- complete systems, 379
- comprehensive model, 153
- computation, optimization and, 919–946
- concavity, 461–462, 840
- concentrated log-likelihood, 349, 495, 498, 940–941, 945–946
- conditional density, 427, 530n1
- conditional distribution, 864–867
- conditional likelihood function, 482–483, 698–699
- conditional logit model, 720, 723–724, 729–735
- conditional maximum likelihood estimator (CMLE), 699
- conditional mean, 14–15, 457, 676, 713, 864
- conditional moments
 - relationships, 865–867
 - tests, 505–508, 743, 771
- conditioning, bivariate distribution, 864–867
- condition number, 56–58, 829
- confidence interval
 - confidence interval test, 491
 - impulse response function, 595
 - latent class model example, 442
- for linear combination of coefficients, 53–54
- nonlinear consumption functions, 172
- normal distribution and, 55
- normal mean, 891–892
- for parameters, 52–53
- Phillips curve example, 570
- prediction interval and, 111
- tests based on, 895–896
- confidence level, 891
- conformable for addition, 804
- conformable for multiplication, 805
- congruent generators, 921
- conjugate prior, 435
- consistency
 - asymptotic efficiency of estimators and, 71
 - asymptotic normality, 72
 - criterion function and, 462
 - GMM estimator and, 204
 - least squares estimator, 66–67, 679
 - as LS property, 518
 - maximum likelihood estimator and, 690
 - mean of functions, 900
 - M estimators theorem, 464
 - MLE property, 473, 477–478
 - nonlinear least squares estimator, 167–169
 - nonlinear restrictions and, 109
 - of OLS in generalized regression model, 194
 - regression estimation, 621
 - of sample mean, 899
 - of s-squared, 69
 - as statistical property, 460
 - stochastic regressors, 74
 - superconsistent, 572
- consistent estimator. *See also* White estimator
 - distribution theory, 899
 - estimation frameworks, 463
 - GMM, 526–533
 - least squares, 70
 - simultaneous-equations models, 397–398, 405
- consistent test, 894–895
- constant elasticity, 11–12
- constant elasticity of substitution (CES), 129, 162
- constant returns hypothesis, 103–104, 126
- constants
 - coefficient of determination and, 36–37
 - dummy variables as, 482
 - gasoline consumption study, 132
 - observations with, 272
 - prediction and, 111
 - random effects model and, 694
 - regression and, 15, 28, 40
- constant variance.
 - See* homoscedasticity
- constrained optimization, 842–843
- constraints, 941–942
- consumption
 - application data set, 946–947
 - cointegration in, 650–652, 656
 - economic analysis and, 624
 - as economic variable, 631
 - error correction and, 580
 - macroeconomic model, 380
 - as macroeconomic variable, 649
 - permanent income model of consumption, 8, 525, 548
 - rational lag model example, 575
 - relationship to income, 3, 8–9
- consumption function
 - binary variables and, 117–118
 - Cox test for, 157
 - example, 33
 - Hausman test for, 83
 - J test for, 155
 - Keynes', 1–2, 8–9, 587
 - least squares and, 75
 - macroeconomic models, 380–381
 - nonlinear, 171–173
 - nonlinear instrumental variables estimator, 183
- contagion property, 859
- continuous variables, 845–846, 857–858
- contrasts, 291
- convergence
 - assessing, 943
 - in distribution, 906–908
 - of empirical moments, 541
 - forms of, 900–903
 - of functions, 903–904
 - in lower powers, 902
 - in mean, 902, 905
 - of moments, 203, 260–262, 905
 - to normality, 262–265
 - in probability, 897, 903
 - in quadratic mean, 897
 - to random variables, 904–905
- convex, 840
- correlation, 56, 712, 861–862, 879.
 - See also* autocorrelation; serial correlation
- correlation matrix, 879
- correlogram, 621
- cosine kernel, 455
- cosine law, 819

1006 Subject Index

- cost function
 - airline production example, 286
 - data sets, 948–950
 - example of flexible, 174
 - functional form, 126
 - groupwise heteroscedasticity, 236–237
 - nonparametric example, 458–459
 - translog cost function, 366–369
- count data
 - censoring and truncation, 773–774
 - defined, 663
 - discrete choice models, 740–752
- covariance
 - of disturbances, 15–16
 - estimation and inference, 879
 - identification through restrictions, 394–395
 - joint distribution, 861–862
 - theorem, 865
- covariance matrix
 - estimation, 940
 - estimation and inference, 879
 - inference and prediction, 100
 - least squares estimator, 48, 217–219
 - for ordinary least squares, 219–221
 - probability theory, 869
- covariance stationarity, 612
- covariance stationary, 254, 612
- covariance structures, 286, 314, 320–334
- covariates, 7
- Cox statistic, 156–157
- Cox test, 155–159, 682–683. *See also* sum of squared residuals
- CPI
 - Dickey-Fuller test, 638
 - inflation studies, 600–602
 - investment equation, 21
 - restricted investment equation, 98
- Cramér-Rao lower bound, 429, 473, 479–480, 493, 889–890
- Cramer-Wold device, 908
- criterion function
 - asymptotic property, 461–462
 - for estimation, 704
 - GMM estimations, 537
- critical region, 892
- cross-sectional data
 - covariance structures for, 320–334
 - estimation, 878
 - heteroscedasticity, 215, 238
 - limitations of, 284
 - production functions, 284
 - time effects and, 283
- cumulated effect, 561
- cumulated multipliers, 416
- cumulative distribution function (CDF)
 - computing integrals, 926–927
 - discrete choice models, 692–693, 710
 - hazard function, 792
 - limiting distribution, 906
 - probability theory, 846, 857
 - sampling distributions, 882
 - truncated normal distribution, 757
- CUSUM test, 135–139
- cyclical variation, 624
- D**
- data
 - behavior of, 463
 - data problems, 56–61
 - default data, 952
 - deseasonalizing, 118
 - duration data, 790–792
 - economic analysis and, 624
 - education data, 953
 - frequency data, 723
 - individual data, 686
 - linear transformations
 - exercise, 39
 - and methodology, 4–5
 - ordered data, 736–740
 - well behaved data, 478, 483
- data generating process (DGP)
 - assumptions, 17, 65–66
 - computation and optimization, 920–923
 - estimation and inference, 880
 - generalized method of moments, 533
 - linear regression model and, 10–18
 - nonlinear model, 163–164
 - nonstationary processes, 635
 - probability density function, 468
 - random variables, 845
 - regression model and, 72
- data series, 131–132, 262
- data sets, 283, 946–953
- Davidon-Fletcher-Powell (DFP) method, 938–939, 942, 945
- Deaton statistic, 156
- decomposition
 - singular value decomposition, 833
 - symmetric matrix, 835
 - of variance, 48, 625, 628, 866
- definite matrices, matrix algebra, 834–837
- degree of inconsistency, 87
- degree of truncation, 759
- degrees of freedom
 - adjusted R^2 , 35
 - chi-squared distribution, 678
 - chi-squared statistic and, 155
 - distributions with, 853–854
 - least squares and, 566
 - maximum likelihood estimators and, 493n12
 - number of restrictions and, 110
 - partial correlation coefficient, 35
 - restrictions and, 489, 593
 - sample periodogram and, 627
 - testing hypotheses, 106
- delta method
 - ARDL model and, 573
 - asymptotic distribution of function, 70
 - CES production function, 129
 - impulse response function, 595
 - large sample distribution theory, 913–914
 - marginal effects and, 674
 - Phillips curve example, 569
 - standard error and, 128, 172–173, 175, 776
 - stochastic frontier model, 504
 - theorem, 527
 - two-step estimation, 188
- demand
 - elasticities of demand, 12, 52–53
 - for gasoline, 570–571
 - macroeconomic model
 - example, 380
 - for money, 657–660
- demand equations
 - common structures, 339–340
 - deterministic relationships, 7
 - example, 378
 - inverse demand equations, 7–8
 - multivariate regression model, 362
 - stability of, 658
 - testing model instability, 660
- demand system, 364
- DeMoirve's theorem, 625
- density
 - hazard function, 792
 - negative binomial model, 745
 - parametric estimation, 427
 - probability density function, 468
 - properties of, 474–475
 - of truncated random variable, 757
- dependent observations, 73–74, 260, 541

- dependent variables. *See also* independent variables
 binary choice model, 665
 censoring, 761–762
 computing considerations, 37
 defined, 837
 discrete choice models, 663–664
 jointly dependent variables, 379
 lagged response, 571
 least squares estimator and, 42
 linear regression models, 7–9
 maximum likelihood estimator, 686
 measurement error, 84
 Phillips curve example, 569
 prediction and, 111n8
 price and quantity as, 8n1
 regression model and, 33
 transformation of, 174
 uncommon usage, 673
 variations as deviations from mean, 31
- depreciation, 84
- derivatives
 computing, 933
 of empirical moments, 541
 maximum likelihood estimation, 840
 probit and logit models, 675
 Slutsky theorem, 668
- deseasonalizing data, 118
- determinant, 816–817, 823, 830, 840
- deterministic relationship, 2, 7–8
- detrending, 635–636
- deviance, 742
- deviations
 correlation of, 15
 of costs, 125
 from means, 824
 from production function, 502
 variation in dependent variable, 31
- DGP. *See* data generating process (DGP)
- diagonal matrix, 803, 816, 823, 827
- Dickey-Fuller test, 602, 637–646, 655–656
- difference operators, 562–564
- differencing
 integrated processes, 631–632
 long memory models, 647
 manipulating series via, 649
 and white noise, 635
- differentiation, Taylor series, 837–840
- digamma function, 928
- dimensions, 803
- discrepancy vector, 96, 101, 108
- discrete, 845
- discrete choice models. *See also* binary choice models
 count data models, 740–752
 features, 663–664
 logit models, 719–735
 ordered data, 736–740
- discrete Fourier transform, 630
- discrete population, 922
- discrete random variables, 845, 855–856
- discriminant analysis, 685n19
- disposable income, 575
- distributed lag
 autoregressive distributed lag models, 571–579
 form, 563, 573
 marginal propensity to consume, 109
 models with lagged variables, 565–571
- distribution. *See also* gamma distribution
 contagion property, 859
 degrees of freedom, 853–854
 of function of random variable, 856–858
 heterogeneity in, 72
 idempotent quadratic forms, 874
 for logit model, 667
 parameters of, 527–531
 of standardized normal vector, 876
- distribution theory
 central limit theory and, 262
 large sample, 896–919
 probability and, 845–877
- distributive law, 806
- disturbance
 ARDL models, 582
 assumption, 73
 asymmetrically distributed, 71
 autoregression and, 609
 bootstrapped, 579
 GMM estimation, 545
 heteroscedasticity and, 191, 222
 independent variables and, 10, 14
 as innovations, 610
 maximum likelihood estimation, 679
 nonnormal disturbances, 501–505
 normal distribution and, 17, 518
 population regression and, 19
 serial correlation, 256–259
 stable relationships and, 8
 as stationary, 611
 SUR model linkages with, 342
 and testing, 104–108
 variances and covariances, 15–16
- as white noise, 643
 zero mean of, 163
- disturbance variance, 133
- dominant root, 417
- dot product, 805
- double-length regression, 243
- downhill simplex, 935
- duality (theory of), 125
- dummy variables
 computing marginal effects, 668
 as constants, 482
 criterion function and, 462n27
 in earnings equation, 116–117
 elasticities and, 123
 fixed effects models and, 695
 LSDV and, 289
 probability model example, 676
 in production of airline services study, 118–120
 specification issues, 768
 treatment effect, 788
- dummy variable trap, 118
- duration dependence, 794
- duration model, 756, 790–798
- Durbin's test, 271
- Durbin-Watson statistic, 275–276, 582–583, 958
- Durbin-Watson test, 126n6, 270–271
- dynamic equation, 573–576
- dynamic models
 binary choice models, 708–710
 lagged effects in, 560–562
 methodological issues, 579–586
 properties of, 415–420
 simultaneous-equation models, 380
- dynamic multipliers, 415–417, 420
- dynamic panel data model, 75, 307–314, 551–555
- dynamic regression, 75
- dynamic regression models, 558–564
- ## E
- earnings equation, 55, 116–117.
See also income
- econometric model, 1–4, 125, 379–380, 482–483, 544–547
- econometrics. *See also* capital asset pricing model (CAPM)
 Almon lag, 566
 computation in, 925–933
 data analysis and, 284
 defined, 1
 GMM estimation in, 447–448
 growth in field, 4–5
 identification in, 621
 model concept, 160
 QR models, 689
 strong stationarity, 612n5

1008 Subject Index

- economics
 ceteris paribus analysis, 28
 data analysis and observation
 frequency, 624
 econometrics and, 1
economic variables, 619n11, 631
economies of scale, 125–126,
 284, 499
education
 descriptive statistics example, 880
 as human capital variable, 54
 labor force participation
 model, 681
 lack of measurement for, 84
 observable indicators and, 87
 partial correlation coefficient,
 28–29
 regression approach, 665
 relationship to income, 9–10
 study with labor, 87–90
 threshold effects, 120
 treatment effects, 788
efficiency
 asymptotic efficiency, 70–71,
 460–461
 of FGLS estimator, 210, 273
 of GLS estimator, 217
 in production of airline services
 study, 118–120
 as statistical property, 41
efficient, 71, 79, 886
efficient estimator
 covariance of, 301
 generalized regression model,
 210
 least squares as, 572
 maximum likelihood estimation,
 470–472, 526
 serial correlation, 271–273
 simultaneous-equation
 models, 414
efficient scale, 92
efficient score test, 489
efficient two-step estimator, 244
efficient unbiased estimator, 886,
 888–890
eigenvalue, 659, 827
elasticity
 coefficients as, 123
 cointegrating vector example, 653
 constant elasticity, 11–12
 of demand, 12, 52–53
 estimates, 7
 lagged variables and, 570
 money demand example, 658
 MPC and, 109
 partial adjustment model
 and, 568
 of probabilities, 723
 of substitution, 12
 translog cost function, 368
 travel mode choice example, 733
 U.S. manufacturing example, 369
EM algorithm, 774
empirical moment equation, 202,
 534, 541
encompassing principle, 153
endogeneity, 379, 381–382
endogenous variables
 distinction, 381
 dynamic models, 416
 nonlinear model example, 404
 VARs and, 587
Epanechnikov kernel, 455
equality
 null hypothesis, 289
 of row and column rank, 815
equations. *See also* systems of
 equations
 adjustment equation, 568
 characteristic equation, 574
 complete systems of, 379
 stability of dynamic equation,
 573–576
equilibrium
 adjustment to, 418–420
 dynamic models and, 560
 and substitution, 594
equilibrium condition, 378, 380, 390
equilibrium error, 579, 652, 654
equilibrium multiplier, 416–417, 562
equilibrium relationship, 579, 655
ergodic, 74, 262, 621
ergodicity, 261–262, 559, 621
Ergodic theorem, 260–262, 273,
 541, 621
Erlang distribution, 854
error correction, 579–581, 650
error correction model, 654–655,
 659–660
error function, 926
estimable parameters, 469
estimation. *See also* methods of
 estimation; parametric
 estimation
 of ARDL model, 572–573
 based on orthogonality
 conditions, 534–536
 in binary choice models, 670–689
 censored data, 766–768
 change points and historic
 events, 142n19
 cointegration relationships, 658
 ergodicity and, 261
 exercise, 39–40
 in finite sample, 885–888
 GLS, 207–211, 370–371
 hypothesis testing and, 95
 inference and, 877–896
 with informative prior density,
 435–437
 instrumental variable
 approach, 308
 investment equation, 21–24
 least squares, 42, 48–49, 266–267
 linear regression models and, 93
 minimum distance
 estimators, 205
 of models with autocorrelation,
 274–276
 nonparametric estimation,
 453–459
 parameters for univariate time
 series, 621–624
 parameters of distributions,
 527–531
 properties, 460–465
 qualitative choices and, 664
 in selection model, 784–787
 semiparametric estimation,
 447–453
 serial correlation, 273–277
 standard error of, 49, 128
 of SUR models, 350–351
 with unknown parameters,
 227–232
 VAR, 588–589, 597–600
estimation criterion, 427
estimation methods. *See* methods
 of estimation
estimators
 alternative estimators, 180–189
 asymptotic covariance matrix, 69
 of asymptotic covariance
 matrix, 198
 asymptotic efficiency and, 71
 asymptotic properties of, 464–465
 least squares, 41–42
 minimum distance estimator,
 205–206, 538–539
 statistical properties of, 460
 statistics as, 882–885
 truncation and windowing,
 627–628
 within- and between-groups,
 289–290
Euler equation, 526–527
Euler's theorem, 284n4
E-Views (computer program),
 244n31, 377
exactly identified, 129, 536, 548
exactly identified model, 411
exchange rates
 data, 949
 economic analysis and, 624
 long memory models, 647
 as macroeconomic variable, 649

- purchasing power parity theory, 650
 exclusion restriction, 102, 348–349, 394, 404
 exogeneity
 of GDP, 659
 of interest variable, 658
 linear regression model assumptions, 10, 42
 long run models, 659
 nonlinear model assumption, 164
 regression model, 72
 vector autoregression, 590–592
 exogenous variables
 assumption, 542
 cointegration, 652
 in context of models, 591
 distinction, 381
 duration models, 796–797
 forecasting and, 576
 identification and, 708
 labor force participation example, 709
 macroeconomic model example, 380
 simultaneous-equation models, 379
 specification tests, 414
 expansion by cofactors, 817
 expectation, 558, 567, 865, 904
 expectations-augmented Phillips curve, 251
 expenditure system, 362
 explained variable, 7
 explanatory variable, 7
 exponential distribution
 depicted, 910
 distribution theory, 855
 likelihood functions, 888–889
 limited models, 771, 794
 exponential family, 529–530
 ex post forecast, 113
 extended product, 807
 extramarital affairs data, 952
 extremum estimator, 461–463, 520
- F**
- F** distribution
 distribution theory, 851–853
 example, 908
 noncentral *F* distribution, 852
 probability theory, 875
 statistical tables, 956–957
F ratio, 172, 289
F statistic
 adjusting, 685
 ARDL model, 574, 583
 Chow predictive test and, 132
 Cobb-Douglas model, 103
 fixed effects, 292
 gasoline consumption study, 136–137, 571
 hypothesis testing, 177
 least squares, 83, 95–99, 220
 linear model and, 175
 maximum likelihood estimation, 496
 normal disturbances and, 104–105
 robust estimation and, 200
 significance tests for restrictions, 175–177
 SUR model example, 350
 testing common factor restrictions, 586
 testing hypotheses, 106, 114
 testing joint significance, 82
 Wald test and, 593
F test, 130, 592, 632
 factoring, matrix, 832–833
 fast Fourier transform (FFT), 631
 FDI variables, 700
 feasible GLS (FGLS)
 AR(1) model, 273
 AR(2) model, 274
 autocorrelation and, 253, 317, 582
 binary choice models, 665
 generalized regression model, 209–211
 groupwise heteroscedasticity, 236
 Grunfeld investment model, 331
 instrumental variables estimator and, 277
 multiplicative heteroscedasticity, 234
 panel data, 322
 random effects model, 296–299, 304
 restrictions, 689
 SUR model, 344–347
 two-step estimation, 227–228, 231
 FIML. *See* full information maximum likelihood (FIML)
 final form, 416
 finite lags, 560, 565–566
 finite sample properties
 estimation in, 885–888
 least squares, 55–56, 65
 Ljung-Box statistic, 622
 of ordinary least squares, 193–194
 unbiased estimation, 41
 “first generation RCM,” 319
 first-order autoregression.
 See AR(1) model
 first-order condition, 840
 fit measures, 159, 209
 fitting criterion, 19
 fixed effects model
 binary choice model extensions, 690
 cost equations, 292
 lagged dependent variables and, 307
 panel data, 285, 287–293, 694–700
 robust estimation, 314–316
 flexible functional form, 12, 366–369
 forecast error, 111, 576
 forecasting. *See also* prediction
 accuracy of, 113
 adjusted R^2 , 159
 ARDL model and, 576–579
 ARMA models, 610
 autocorrelation and, 279–280
 distinction, 111n8
 as growth industry, 5
 Klein’s Model I, 587
 macroeconomics and, 587n9
 model performance, 608
 prediction and, 113
 regression analysis and, 33
 VAR approach, 595
 foreign exchange markets, 238, 649
 forms of convergence, 900–903
 Fourier transform, 705n47
 fractional integration, 632n14, 647–648
 frequency domain, 624–631
 Frisch-Waugh theorem, 27, 38–39
 full column rank, 815
 full information, 396, 398
 full information maximum likelihood (FIML)
 discrete choice models, 716, 727
 joint estimation and, 405
 Klein’s Model I, 412
 labor supply example, 786
 method of estimation, 407–409
 travel mode choice example, 732
 two-step maximum likelihood estimation, 508
 full rank
 assumption, 542
 least squares, 21
 linear regression model, 10, 13–14, 42
 regression model and, 72
 VAR model and, 655
 full rank matrices, 815–816
 full rank quadratic form, 875–876
 fully recursive model, 394–395, 397, 411
 functional form, 116, 122–124, 126, 163

1010 Subject Index

G

- gamma distribution
 - computation and optimization, 944–945
 - distribution theory, 855
 - example, 530–531
 - GMM estimation, 538–540
 - limited models, 794
 - MLE, 490n9
 - negative binomial model, 745
- gamma function, 490n9, 927–928
- gamma regression model, 71, 129
- GARCH model, 16, 240–245
- Gauss (computer program), 942
- Gauss-Hermite quadrature, 692, 929
- Gaussian quadrature, 928
- Gauss-Laguerre quadrature, 929
- Gauss-Markov theorem
 - counterparts to, 70–71
 - generalized regression model, 208
 - least squares estimator and, 45–47, 56, 265
 - prediction and, 111
 - stochastic frontier model, 502–503
 - theorems, 47–48
- Gauss-Newton method, 169, 942
- Gauss's method, 448
- GD-84P, 83
- GDP
 - augmented Dickey-Fuller test, 646
 - cointegration and, 650–652
 - cointegration in, 656
 - Dickey-Fuller test, 639
 - as economic variable, 631
 - exogeneity of, 659
 - long memory models, 647
 - nonstationary series example, 632
- GEE estimator, 690n26
- generalized inverse, 82–83, 833–834
- generalized least squares (GLS). *See also* feasible GLS (FGLS)
 - asymptotic covariance matrix, 212, 321, 342
 - asymptotic normality of, 260
 - autocorrelation, 253
 - efficiency of, 217
 - efficient estimation, 207–211, 271
 - groupwise heteroscedasticity, 235
 - heteroscedastic regression model, 216–217, 227
 - log-likelihood function, 688
 - nonlinear systems and, 370–371
 - panel data, 321
 - random effects model, 295–296, 316
 - SUR model and, 341–343
 - weighted least squares, 224
- generalized method of moments (GMM), 426, 447, 559, 590
- generalized method of moments (GMM) estimator
 - asymptotic efficiency, 460
 - CAPM model and, 356
 - consistent estimation, 526–533
 - convenience of, 139
 - demand for money example, 143
 - discrete choice models, 690n26
 - dynamic panel data model, 307–314, 551–555
 - as extremum estimator, 461
 - features, 533–547
 - GLS and, 371
 - heteroscedastic regression model, 221
 - identification, 463
 - identification condition for, 203
 - important results, 201–207
 - joint estimation and, 405
 - Klein's Model I, 412
 - least squares, 43, 165
 - LR statistic, 593
 - method of estimation, 400–401, 409–410
 - as modeling framework, 465
 - municipal expenditures
 - example, 604
 - nonlinear least squares, 169
 - nonlinear systems, 372–373
 - optimal, 140
 - ordinary least squares, 588
 - probit model with random effects, 694
 - pseudo-MLE, 246, 518
 - random effects model, 308–309
 - restrictions in, 142n18
 - semiparametric estimation, 447–448
 - serial correlation, 268
 - testing hypotheses, 548–551
- generalized regression (GR) model
 - asymptotic distribution, 196
 - covariance matrix and, 321
 - nonspherical disturbances, 191–214
 - ordinary least squares, 521
 - R^2 and, 209
 - time-series cross-sectional data, 320
- generalized residual, 671n8, 793
- generalized sum of squares, 209, 211, 229
- general-to-simple method, 151–152, 564, 583, 589
- geometric lag model, 566–571
- GHK simulator, 710, 932–933
- Gibbs sampler, 445–446, 922–923
- globally concave, 840
- globally convex, 840
- global maximum, 840
- GLS. *See* generalized least squares (GLS)
- GMM. *See* generalized method of moments (GMM)
- GMM estimator. *See* generalized method of moments (GMM) estimator
- GNP
 - GNP deflator, 634, 647
 - investment equation, 21–23
 - long memory model
 - example, 648
 - spectral analysis of growth rate, 628–631
- Godfrey LM test, 223–225
- golden section method, 934n23
- Goldfeld-Quandt test, 223–224
- goodness of fit, 31–38, 209, 345
- goodness of fit measure, 683–686, 741–743
- Gordin's central limit theorem, 265
- GPH test, 649
- GQOPT (computer program), 942
- GRADE model, 703
- gradient, 171, 838, 937
- gradient methods, 935–939, 943
- Granger causality
 - lagged variables, 587, 589, 592–593, 604–605
 - simultaneous-equations models, 382
 - time-series models, 658–659
- Granger noncausality, 591
- Granger representation theorem, 654n26
- Grenander conditions, 67–68, 194, 566n5
- grid search, 934
- GR model. *See* generalized regression (GR) model
- grouped data, 686, 688–689
- group means, 288, 315
- group means estimator, 290
- groupwise heteroscedasticity
 - consistent estimation, 317
 - estimation, 327
- Grunfeld investment model, 333
- heteroscedasticity, 223, 232, 235–237, 296
- panel data, 323, 325
- specification issues, 768

- Grunfeld-Boot and de Witt investment model, 339
 Grunfeld's investment data, 329–333, 340
 Gumbel distribution, 720
- H**
- Hansen's test, 134
 Harvey's model of heteroscedasticity, 328
 hat matrix, 60
 Hausman and Taylor estimator, 303–304, 308, 311
 Hausman test
 chi-squared statistic, 699
 instrumental variable and, 80–83
 least squares, 90
 nonnormality, 771
 panel data, 301
 random effects model, 301–303
 travel mode choice example, 731
 hazard function, 759, 793–794, 799, 859
 hazard rate, 792, 799
 Heckit estimator, 784
 Hermite polynomials, 926
 Hermite quadrature, 694, 745n71
 Hessian, 838, 945
 heterogeneity
 in binary choice model, 700
 conditioning and, 699
 in distributions, 72
 duration models, 797–798
 hazard function and, 799
 latent heterogeneity, 440n15
 modeling, 318
 negative binomial regression model, 744–745
 panel data and, 283–286
 Poisson model, 748
 random effects model, 690
 heteroscedastic 2SLS (H2SLS), 401
 heteroscedastic 3SLS (H3SLS), 411
 heteroscedastic extreme value (HEV) model, 733
 heteroscedasticity. *See also* groupwise heteroscedasticity
 classical regression, 314, 323
 conditional moment tests, 506
 disturbances and, 545
 estimator case, 204
 generalized regression model and, 191
 GLS estimator and, 209
 GMM estimator, 206
 Grunfeld investment model, 331
 household expenditures and, 15
 Klein's Model I, 412–413
 labor force participation model, 682
 linear regression model, 679
 models with, 195
 multiplicative heteroscedasticity, 232–235, 239n24
 nested logit models, 726
 ordinary least squares estimation, 216–221
 random effects model, 316–317
 robust estimation, 198
 specification issues, 768–769
 specification tests, 680–682
 structural break and, 133
 SUR model, 360–362
 testing, 222–225, 508
 travel mode choice example, 733
 heteroscedastic logit model, 727
 heteroscedastic regression
 applications, 232–237
 discrete choice models, 688
 GMM estimator, 221
 heteroscedasticity, 215–216
 nonlinear weighted least squares, 687
 two-step estimation of, 231
 HEV model, 733
 Hierarchical Bayes estimation, 444–447
 hierarchical regression, 319
 histogram, 454, 880, 885, 911
 homogeneity, 699
 homogeneity restriction, 347, 351, 700
 homogeneous equation system, 820
 homoscedastic extreme value (HEV) distribution, 727
 homoscedasticity
 CAPM model, 356
 conditional moment tests, 506
 defined, 15
 groupwise heteroscedasticity, 236–237
 linear regression, 10, 42, 867
 nonlinear model assumption, 163
 null hypothesis of, 224
 probability theory, 865
 regression models, 72
 testing for, 681–682
 time-series data and, 192
 travel mode choice example, 733
 L'Hôpital's rule, 174, 500
 HPD (highest posterior density) interval, 435, 437
 hurdle model, 749–752
 hyperplane, 33, 38, 813
 hypothesis testing
 approaches to, 95–104
 BHHH estimator, 673
 binary choice models, 676–678
 Cox statistic, 156
 estimation, 465, 892–896
 GMM estimation, 548–551
 least squares estimator, 48, 50–52
 linear regression models and, 93
 maximum likelihood estimation, 484–492
 nonlinear consumption functions, 172
 nonlinear regression models, 175–180
 nonlinear restrictions, 108–110
 nonnested hypothesis, 153
 parametric estimation, 437–439
 t and *F* tests, 632
 Wald statistic, 327, 551, 590, 741
 Wald test, 676
- I**
- I*(1) series
 cointegration, 650
 macroeconomic flows, 632
 structural variables and, 636
 testing unit roots, 637
 idempotent, 24–25, 79
 idempotent matrix, 808–809
 idempotent quadratic forms, 836, 873–875
 identically distributed (iid), 263, 468, 477, 532
 identical regressors, 343–344
 identification
 assumption, 541
 covariance restrictions, 394–395
 defined, 85, 469
 exogenous variables, 708
 intrinsic linearity, 127–130
 M estimator and, 463
 of model parameters, 163
 moment equations
 assumptions, 203
 of parameters, 468–470
 problem of identification, 385–389
 rank and order conditions, 389–394
 stationary stochastic processes, 621
 structural VAR model, 597–600
 identification condition, 13, 129, 542
 identification problem. *See* problem of identification
 identity matrix, 803
 ignorable case, 59
 IIA. *See* independence from irrelevant alternatives (IIA)
 iid. *See* identically distributed (iid)
 impact multiplier, 416, 561

1012 Subject Index

- importance function, 931
impulse response, 587, 594
impulse response function, 420, 593–595
incidental parameters problem, 690, 697
incidental truncation, 780–782
inclusion of superfluous variables, 148
inclusive value, 726
income
 application data set, 946–947
 data set, 953
 descriptive statistics example, 880
 disposable income, 575
 earning equation, 51–52
 income elasticity, 53
 as independent variable, 8n1
 kernel density estimator, 881–882
 Keynes' consumption function and, 1–2
 as macroeconomics variable, 649
 partial correlation coefficient, 28–29
 permanent income, 8, 84, 525, 548
 relationship to consumption, 8
 relationship to education, 9–10
 unit root, 650
 voting behavior and, 665
inconsistency
 degree of inconsistency, 87
 in Gauss-Markov theorem, 76
 least squares, 75
indefinite matrix, 835
independence, 875–877
independence from irrelevant alternatives (IIA), 724, 726, 731, 733–735
independent observations
 assumption, 66
 asymptotic distribution with, 68
 defined, 878
 regression model and, 72
independent variables. *See also* dependent variables
 defined, 837
 and disturbance, 10
 income as, 8n1
 lagged response, 571
 lagged variables and, 307
 linear regression models, 7–8, 42
 marginal effects for, 668
 measurement error and, 84
 regression model and, 72
 theorem, 51
index function model, 668–670, 695
indicator, 87
indirect least squares, 396
individual data, 686
individual effect, 285, 700
inequality
 Cauchy-Schwartz inequality, 92, 904
 Chebychev's inequality, 848, 898, 903
 Jensen's inequality theorem, 477, 849, 902, 904
 likelihood inequality, 477
 Markov's inequality, 898, 903
inference
 in binary choice models, 670–689
 estimation and, 877–896
 parametric estimation and, 427–447
 vector autoregression, 600
infinite lag model, 560, 565–571
infinite lags, 567
inflation studies
 ARCH model and, 238
 CPI and, 600–602
 inflation data, 949
 structural VAR and, 596
information matrix, 479, 489, 498, 890
information matrix equality, 474, 476
informative prior, 432, 435–437, 439
initial conditions, 255, 416, 708
innovation, 254, 264, 594, 610
instability
 demand for money, 142–143
 testing, 659–660
 of VAR model, 605
instrumental variables
 empirical moment equation, 541
 estimation by, 397–398
 FGLS and, 277
 GMM estimator, 540, 545, 548
 Hausman's specification test and, 80–83
 method of moments estimation and, 201
 possibilities with, 202
 twins study, 88
 two stage least squares and, 74–80
instrumental variables estimator
 GMM estimator, 310, 313
 least squares, 192–197
 method of estimation, 397–398
 nonlinear model, 181–183
 random effects model, 303–306
 simultaneous equations model, 379
 specification tests, 414
insufficient observations, 131–132
integrals, 926, 928–929
integrated hazard function, 793
integrated of order one, 631
integrated processes, 631–632
integrated series. *See* I(1) series
intelligence
 lack of measurement for, 84
 observable indicators and, 87
interaction term, 123–124
interdependent systems, 379
interest rates
 ARCH model and, 238
 cointegrating vector example, 652–653
 exogeneity of variable, 658
 investment equation and, 21
 measurement difficulties for, 8
 testable implications and, 93–94
 as variable, 84
interval estimate, 435, 885, 890–892
intrinsic linearity, 127–130
invariance, 473, 480
invariance of maximum likelihood estimators, 359
inverse, 836
inverse function, 844, 921
inverse Gaussian distribution, 528, 794
inverse matrices, 820–822, 831
inverse Mills ratio, 759, 789
inverses, 823–824
inverted gamma distribution, 431, 436
invertibility, 611–614
invertible polynomial, 564
investment equation
 analysis of variance for, 33–34
 estimating, 21–24
 prediction for, 111–113
 restricted example, 98–99
 semilog equation in, 123
investment model
 application data set, 947
 Grunfeld's investment data, 329–333
 investment data, 950
 macroeconomic model example, 380
 testable implications for, 93
irrelevant variables, 150–151
iterated expectations, 865
iteration, 171, 936, 944
iterative algorithm, 935, 943
J
J test, 154–155, 178
jackknife, 220, 924–925
Jacobian
 defined, 844
 distribution of function of random variables, 863

limited model, 795
 MLE, 493, 497, 499–500
 probability theory, 845
 Jensen's inequality theorem, 477,
 849, 902, 904
 joint density, 860–864, 922
 joint distribution, 860–864
 jointly dependent variables, 379
 joint posterior distribution, 433

K

k class, 401–403, 411n23
 Kaplan-Meier estimator, 797–798
 kernel density estimator
 depicted, 911
 discrete choice model, 704–705
 dynamic models, 709
 estimation, 456, 465
 income, 881–882
 latent class model example, 443
 MSL estimation, 516–517
 nonparametric regression
 function, 706–708
 semiparametric estimation,
 452–453
 as substitute for histogram, 881
 kernel function, 706
 Keynes' consumption function, 1–2,
 8–9, 587
 Khincine theorem, 69, 76, 463,
 527, 900
 Klein's Model I
 adjustment to equilibrium, 419
 comparison of methods, 411–413
 forecasting and, 587
 identification, 390
 stability, 417
 statistical tables, 950
 testing overidentifying
 restrictions, 415
 knots, 120–122
 Kolmogorov's theorem, 901–902
 Kronecker product, 342, 824–825
 Kruskal's theorem, 214, 343n7
 kurtosis, 772, 848, 879

L

labor studies
 application data set, 947
 with education, 87–90
 participation example, 664,
 709–710
 supply example, 782
 lack of invariance, 110
 LAD. *See* least absolute
 deviations (LAD)
 lagged variables
 autoregression and, 610

autoregressive distributed lag
 models, 571–579
 distributed lag models, 565–571
 Durbin-Watson test and, 270
 dynamic models, 558–564,
 579–586
 estimation with, 277
 forecasting and, 111n8
 GMM estimator, 310, 545
 panel data and, 307
 random effects model, 308
 testing with, 270
 vector autoregression, 586–605
 lag length, 564–565, 589,
 644, 646
 lag operator
 AR (1) process, 610
 ARIMA model, 632
 models, 562–564, 571, 594
 polynomials in, 596, 613
 Lagrange multiplier (LM) statistic
 as alternative, 350
 autocorrelation and, 271, 582
 CAPM model, 353, 355
 computing, 679, 940
 convenience of, 141
 count data models, 741
 GARCH effects, 244
 GMM, 550–551
 Grunfeld investment model, 332
 heteroscedasticity, 769
 hypothesis testing, 177–178,
 496, 678
 labor force participation
 model, 682
 likelihood function and, 494–495
 likelihood ratio test and, 324
 LM test example, 500
 MLE, 501
 model based tests, 230
 negative binomial model, 744
 Poisson regression model,
 746–747
 problem with approach, 139
 simultaneous equations models,
 413–414
 SUR model example, 351
 testing correlation, 712
 testing for homoscedasticity, 681
 theorems, 489
 tobit model, 775
 Lagrange multiplier (LM) test
 application example, 492
 autocorrelation and, 269, 271
 basis of, 177
 Box-Pierce test and, 270
 Breusch-Pagan LM test,
 223–225, 769
 discrete choice models, 678–679

functional form, 143
 GMM, 548–551
 Grunfeld investment model, 330
 Hausman test, 303
 heteroscedasticity, 223–224,
 328, 769
 hypothesis testing, 327, 465, 484,
 489–490
 inference, 100–101, 108, 115
 lack of invariance and, 110
 linear regression model, 495
 for log-linearity, 500–501
 maximum likelihood estimation
 and, 298
 model based tests, 230
 Nerlove's study, 125
 nonnormality, 771
 omitted variables, 680
 overdispersion, 743
 random effects model, 298
 specification tests, 682
 stationary stochastic
 processes, 609n2
 structural changes and, 602
 time-series models, 622n13
 Wald test and, 486
 lag weights, 562, 567, 573
 lag window, 628
 latent class model, 426, 439–443,
 516–517
 latent regression, 668–670
 latent roots, 827
 latent vectors, 827
 laws
 associative law, 806
 cosine law, 819
 distributive law, 806
 of large numbers, 900–902
 strong law of large numbers,
 901–902
 weak law of large numbers, 900
 leading term approximation, 917
 least absolute deviations (LAD)
 bootstrapping, 925
 limited models, 771
 as M estimator, 465
 semiparametric estimation,
 448–450
 least squares. *See also* weighted
 least squares (WLS)
 asymptotic normality of, 260
 as efficient estimator, 572
 estimator, 41–42
 as extremum estimator, 461
 FGLS and, 211
 finite-sample properties of, 55–56
 F statistic, 95–99, 220
 GMM estimation, 165, 548
 goodness of fit, 31–38

1014 Subject Index

- least squares (*continued*)
 - groupwise heteroscedasticity, 237
 - inconsistent models for, 75
 - inefficiency of, 217
 - instrumental variables
 - estimation, 192–197
 - lag models and, 559, 566
 - least squares regression, 19–25
 - matrix algebra, 817
 - as maximum likelihood estimator, 518
 - as modeling framework, 465
 - optimal linear predictor, 43–44
 - partial correlation coefficients, 28–31
 - partialing out, 27–28
 - partitioned regression, 26–27
 - population orthogonality conditions, 42–43
 - problem, 934
 - testing model instability, 660
- least squares dummy variable (LSDV) model
 - autocorrelation and, 317
 - FGLS and, 297
 - fixed effects, 287
 - Hausman test, 302
 - panel data, 289
 - return to schooling example, 306
 - time effects and, 291
- least squares estimator. *See also* nonlinear least squares estimator
 - asymptotic distribution and, 105
 - asymptotic properties, 65–74, 265–267
 - bias, 679
 - CAPM model and, 356
 - covariance matrix, 217–219
 - distinctions, 80
 - estimating variance of, 48–49, 266–267
 - fire-order conditions for, 165
 - gamma model, 129
 - Gauss-Markov theorem, 45–48
 - GMM estimator and, 540
 - identification and, 463
 - large sample properties, 167–169
 - maximum likelihood, 156, 588
 - nonstochastic regressors
 - and, 45–46
 - production function, 449–450
 - as robust estimator, 590
 - serial correlation, 265–267
 - tobit model, 766, 775
 - truncated regression model, 761
 - twins study, 88
 - unbiased estimation, 44–45, 151
- least variance ratio, 402
- Leibnitz theorem, 475
- L'Hôpital's rule, 174, 500
- Liapounov. *See* Lyapounov central limit theorem
- likelihood equation, 472, 476, 670
- likelihood function, 431, 468–470, 472, 494, 888–889
- likelihood inequality, 477
- likelihood ratio (LR) statistic
 - as alternative, 349
 - Cox test and, 155
 - GMM, 550, 593
 - Grunfeld investment model, 332
 - hypothesis testing, 327, 678
 - misspecification and, 770
 - MSL estimation, 514
 - SUR model example, 350
 - VAR testing and, 593
- likelihood ratio (LR) test
 - application example, 490–492
 - discrete choice models, 678
 - GMM, 548–551
 - heteroscedasticity, 230, 237
 - hypothesis testing and, 327, 484–486
 - LIML and, 413
 - linear regression model, 494
 - LM statistic and, 324
 - MLE and, 329
 - Poisson distribution, 745
 - Poisson regression model, 746
 - testing hypotheses, 465
 - univariate model and, 686
- LIMDEP (computer program), 244n31, 377
- limited information maximum likelihood (LIML)
 - discrete choice models, 726
 - example, 523
 - Klein's Model I, 412
 - methods of estimation, 396–404
 - specification tests, 413–414
 - travel mode choice example, 732
 - two-step maximum likelihood estimation, 509
- limiting distribution
 - central limit theorem, 532
 - convergence in distribution, 906–908
 - F* statistic, 106
 - for function, 913–914
 - probability theory, 853
 - random variables, 107
- LIML. *See* limited information maximum likelihood (LIML)
- Lindberg condition, 910
- Lindberg-Feller central limit theorem
 - distribution theory, 909, 913
 - estimation frameworks, 463
 - generalized method of moments, 532, 542
 - generalized regression model, 195, 203
 - least squares, 67–68
 - serial correlation, 262–263
- Lindberg-Levy central limit theorem
 - distribution theory, 909–910, 912
 - estimation, 889
 - generalized method of moments, 527
 - generalized regression model, 203
 - least squares, 67n3
 - MLE, 478, 506
 - serial correlation, 262–263
- linear approximation, 837–838
- linear association, 37, 867
- linear combination, 806, 811
- linear dependence, 811
- linear equations, 819–822
- linear forms, 876–877
- linear function, 838, 869–870, 873
- linear independence, 812
- linearity, 10–13, 42, 72
- linearly deterministic component, 619
- linearly indeterministic component, 620
- linear regression model
 - assumptions, 10–18, 42
 - Box-Cox transformation and, 173–175
 - characteristics, 7–10
 - classical normal, 872–873
 - coefficient of determination
 - for, 37
 - comparing, 152
 - Cox test and, 156
 - discrete choice models, 663
 - estimated money demand equations, 180
 - example, 428–429
 - F* statistic and, 175
 - functions for, 93
 - Gauss-Markov theorem, 47–48
 - incidental parameters problem and, 697
 - linear restrictions, 94
 - maximum likelihood estimation, 492–496
 - omitted variables, 679
 - probability theory, 866–867
 - testing for heteroscedasticity, 508
 - theorem, 185

- linear restrictions
 on coefficients, 122
 likelihood function, 494
 linear regression model and, 94
 structures and, 390
- line search, 935–936, 945
- LISREL (computer program), 919n1
- Ljung-Box statistic, 622
- Ljung's refinement, 269–270
- LM statistic. *See* Lagrange multiplier (LM) statistic
- LM test. *See* Lagrange multiplier (LM) test
- local maxima, 840
- local optima, 840
- location, 878
- logistic distribution, 667–668, 855
- logit kernel, 455–456
- logit model
 derivatives, 675
 distribution for, 667
 fixed effects models, 698
 heteroscedasticity, 680
 LS estimator, 701
 for multiple choices, 719–735
 name origin, 687
 nonlinear regression models, 186
 normal distribution, 691
 as probability model, 675
 state dependence, 708
 two-step MLE, 511
 weighted least squares, 688
- log-likelihood function. *See also*
 concentrated log-likelihood
 AR(1) model, 273
 binary choice models, 688
 Butler and Moffitt method, 694
 fixed effects model, 695
 groupwise heteroscedasticity, 236
 maximum likelihood estimation
 and, 326, 347
 multiplicative
 heteroscedasticity, 233
 multivariate regression
 model, 358
 probability models and, 675
 testing hypothesis, 681
 two-step estimation, 231–232
- loglinear model
 Cobb-Douglas model, 12
 coefficient of determination
 for, 37
 count data, 740
 Cox test and, 156
 depicted, 11–12
 estimated money demand
 equations, 180
 gasoline consumption study, 132
- Lagrange multiplier test, 500–501
 Nerlove's study, 125–126
 regression model and, 122–123
 testing linear specification, 179
- lognormal distribution, 771, 794,
 854, 931
- lognormal variables, 854
- longitudinal data sets, 283–284, 320
- Longley data, 58, 61, 948
- long-run multiplier, 561–562, 564
- loss function, 434
- loss of fit, 95, 101–104
- lower triangle, 803
- lower triangular matrix, 832,
 922n4, 932
- LR statistic. *See* likelihood ratio (LR) statistic
- LR test. *See* likelihood ratio (LR) test
- LSDV model. *See* least squares dummy variable (LSDV) model
- LSQ procedure, 919–1
- Lucas critique, 587
- Lyapounov central limit theorem,
 195, 262–263, 463, 483,
 542, 912
- M**
- M* estimator, 461, 463–465, 521
- M* variables, 654–655
- MA process. *See* moving average (MA) process
- macroeconomics
 data set, 948
 distinctions, 5
 forecasting performance, 608
- macroeconomics
 consumption function and, 381
 deterministic relationships, 7
 example, 380
 forecasting and, 587n9
 unit roots and data, 636
 vector autoregressions and,
 586–587
- macroeconomic variables
 rational lag model and, 575
 time-series models, 649
 VAR model, 596
- main diagonal, 803
- marginal distributions, 860,
 871–872
- marginal effects
 binary choice models, 665,
 674–676, 705, 712–713
 binary variable, 740
 in censored regression model, 765
 censoring and truncation, 774
 computing, 668
- functional form, 124
- labor force participation
 model, 682
- lagged variables, 560
- probability model example, 676
- recursive model, 716
- tobit model example, 766
- truncated regression model, 760
- marginal moments, 865–867
- marginal probability density, 860
- marginal propensity to
 consume (MPC)
 Bayesian estimation, 437
 consumption function, 172–173
 distributed lag model, 109–110
 Keynes' consumption function, 2
- Markov Chain Monte Carlo
 (MCMC) method, 426,
 444–447, 513, 920, 923
- Markov's inequality, 898, 903
- Markov's theorem, 69, 902
- martingale difference sequence,
 263, 273, 463, 542
- martingale sequence, 262
- Matlab (computer program), 631
- matrices
 comparing, 836–837
 condition number of, 829
 determinant of, 816–817, 830
 diagonalization of, 827
 factoring, 832–833
 generalized inverse of, 833–834
 powers of, 830–832
 rank of, 814–816, 827–829, 874
 spectral decomposition, 827, 832
 trace of, 829–830
- matrix algebra
 algebraic manipulation of
 matrices, 803–809
 calculus, 837–845
 Cox test and, 156–158
 geometry of matrices, 809–819
 idempotent matrix, 808–809
 linear equations, 819–822
 matrix addition, 804–805
 matrix multiplication, 805–807
 matrix product rule, 904
 partitioned matrices, 822–825
 quadratic forms, 834–837
 roots and vectors, 825–834
 sums of values, 807–808
 systems of linear equations,
 819–822
 terminology, 803
 two-way effects, 291n9
 usefulness of, 23
- matrix inverse rule, 904
- matrix power, 830–832
- matrix weighted average, 290

1016 Subject Index

- maximum likelihood estimator (MLE). *See also* full information maximum likelihood (FIML); pseudo-MLE
 - applications of, 492–508
 - approximating, 768
 - AR(1) model, 273
 - aspects of, 939–941
 - asymptotic covariance matrix, 672–673, 688
 - asymptotic properties, 476–482, 689
 - autocorrelation and, 275
 - bias in, 697
 - binary choice models, 670, 710–712
 - CAPM model and, 357
 - cautions, 239n24
 - CMLE, 699
 - consistency and, 690
 - dependent variables and, 686
 - determinants and derivatives, 840
 - discrete choice models, 663
 - disturbances and, 679
 - duration models, 794–795
 - efficient estimation, 211, 470–472, 526
 - estimating probabilities, 714
 - estimation, 426, 428
 - example, 128
 - as extremum estimator, 461
 - fixed effects models, 697
 - gamma distribution, 530
 - gamma model, 129
 - GARCH model, 242–245
 - GMM estimation, 540, 548–549
 - grouped data, 689
 - groupwise heteroscedasticity, 236–237
 - Grunfeld investment model, 331
 - heteroscedasticity, 228–229
 - identification, 463
 - invariance of, 359
 - Lagrange multiplier statistic, 940
 - Lagrange multiplier test, 298
 - least squares estimator, 65, 71, 156, 588
 - likelihood function, 468–470
 - linear regression model, 492–496
 - log-likelihood function, 688
 - maximum simulated likelihood, 512–517
 - MCSE and, 688
 - as modeling framework, 465
 - multiplicative
 - heteroscedasticity, 235
 - nonlinear regression models, 496–501
 - nonlinear systems, 371–372
 - overdispersion, 743
 - panel data, 326–329
 - Poisson model, 742
 - predictions and, 686
 - principle of, 470
 - probit models, 711–712
 - properties of MLE, 472–483
 - QMLE, 246, 673–674
 - random effects and, 299
 - serial correlation, 274
 - stochastic frontier model, 429
 - structural breaks and, 141
 - SUR model, 347–351, 357–360
 - test procedures, 484–492
 - theorem, 164
 - tobit model, 775, 777
 - truncated regression model, 761
 - two-step estimation, 184, 508–512
- maximum score estimator (MSCORE), 685, 702–706, 703n42
- maximum simulated likelihood (MSL), 512–517, 693
- MCSE (minimum chi-squared estimator), 687–689
- mean
 - asymptotic distribution of, 915
 - deviations from, 824
 - estimation, 878
 - of functions, 900
 - of lognormal distribution, 931
 - Monte Carlo study, 923–924
 - one-sided test, 896
 - of random variables, 847
 - testing hypothesis, 893–895
 - truncated mean, 759
- mean absolute error, 113
- mean lag, 562, 564
- mean square convergence, 67, 69, 897–898
- mean-squared deviation
 - matrix, 702
- mean squared error (MSE), 43–44, 150, 887
- mean value theorem, 543
- measure
 - of central tendency, 847
 - of closeness, 19
 - condition number, 56–57
 - of linear association, 867
 - of model fit, 644
- measurement
 - errors in, 8
 - lacking for variables, 84
 - standard deviation units, 123
- measurement error, 75, 83–90
- median, 847, 878, 916, 923–924
- median lag, 562
- MELO (minimum expected loss) estimator, 434–435
- method of kernels, 706
- method of moment generating functions, 529
- method of moments, 429, 447, 526–533, 536–540, 943
- method of moments estimators, 528, 531–533, 535. *See also* generalized method of moments (GMM) estimator
- method of scoring, 672, 723, 939–941
- methods of estimation
 - GMM estimation, 400–401, 409–410
 - instrumental variables, 75, 397–398
 - limited information, 396–404
 - ordinary least squares, 396–397
 - simultaneous equations models, 396
 - system methods of estimation, 404–411
 - two-stage least squares, 398–400
- Metropolis–Hastings algorithm, 445–446
- MGF (moment-generating function), 859
- microeconometrics, 5, 125
- microeconomics, 602–605
- minimal sufficient statistic, 697
- minimum distance estimator, 205–206, 538–539
- minimum expected loss (MELO) estimator, 434
- minimum mean squared error, 43–44
- minimum variance linear unbiased estimator (MVLUE), 44, 890
- minimum variance unbiasedness, 887
- minor, 817
- missing observations, 59–60
- misspecification, 250–251, 770
- mixed estimation, 436n9
- mixed logit model. *See* random parameters logit (RPL) model
- MLE. *See* maximum likelihood estimator (MLE)
- MNP. *See* multinomial logit (MNL) model
- MNP (multinomial probit) model, 727–728
- models
 - autoregressive distributed lag models, 571–579
 - distributed lag models, 565–571

- dynamic models, 558–564, 579–586
- exogenous variables and, 591
- general-to-simple strategy, 151–152
- for panel data, 283–286
- and prediction, 7
- selection of, 148–161
- simple-to-general approach, 151
- specification analysis and, 148–152
- structural form, 130–134, 382
- tests, 229–232
- tests of stability, 134–143, 659–660
- univariate time series, 619–621
- vector autoregression, 586–605
- moment-generating function (MGF), 859
- moments
- asymptotic moments, 918
 - central moments, 529, 848
 - conditional moments, 505–508, 743, 771, 865–867
 - convergence of, 203, 260–262, 905
 - empirical moments, 202, 541–542
 - marginal moments, 865–867
 - probability theory, 866, 868–869
 - and random variables, 614
 - uncentered moment, 527
- money demand
- cointegrating vector, 652–653
 - cointegration, 657–660
 - data, 951
 - example, 180, 250
 - instability of, 142–143
 - as macroeconomic variable, 649
- Monte Carlo integration, 715
- Monte Carlo methods
- Bayesian estimator and, 430
 - data sets, 920
 - functional form, 141
 - testing unit roots, 637
- Monte Carlo studies
- AR(1) model, 274
 - computation, 920
 - features, 923–924
 - GNP deflator, 634
 - heteroscedasticity, 246n35, 681
 - least squares estimator, 59–60
 - replicating data, 921
 - systems estimators, 413
 - White estimator, 220
- Moore-Penrose generalized inverse, 83, 833–834
- most powerful test, 893
- moving average, 240, 610, 614.
- See also* vector moving average (VMA)
- moving-average form, 258, 563, 598, 611
- moving average (MA) process, 257, 318, 616, 618
- MSCORE. *See* maximum score estimator (MSCORE)
- MSE. *See* mean squared error (MSE)
- MSL. *See* maximum simulated likelihood (MSL)
- multicollinearity
- absence of, 163, 542
 - data problems, 56–59
 - dummy variables and, 118
 - nonlinear regression models, 173
- multinomial logit (MNL) model, 720–723, 728, 732, 734
- multinomial probit (MNP) model, 727–728
- multinomial integrals, 690n26
- multiple correlation, 36
- multiple linear regression model, 7–10
- multiple regression, 21, 23, 35, 88
- multiplication, 805–807, 809, 823
- multiplicative heteroscedasticity, 232–235, 239n24
- multipliers, 415–417, 420, 561–562
- multivariate Lindberg-Feller central limit theorem, 913
- multivariate Lindberg-Levy central limit theorem, 912
- multivariate normal distribution, 871–877
- multivariate normal population, 922
- multivariate normal probabilities, 931–933
- multivariate probit models, 710–719
- multivariate regression model, 340, 358, 362
- multivariate standard normal, 871
- multivariate t distribution, 434, 436
- MVLUe (minimum variance linear unbiased estimator), 44, 890
- N**
- naive predictor, 685–686
- National Institute of Standards and Technology (NIST), 833n12
- National Longitudinal Survey of Labor Market Experience (NLS), 283
- nearest neighbor, 457
- negative autocorrelation, 251–253, 647
- negative binomial model, 744–745, 747, 774
- negative definite matrix, 834–835
- negative duration dependence, 794
- nested logit models, 725–727
- nested models, 93–95
- netting out, 27–28
- Newey-West covariance matrix, 267, 628
- Newey-West estimator
- functional form, 142
 - generalized method of moments, 544, 546
 - generalized regression model, 200–201, 206
 - panel data, 316
 - regression equations, 373
 - serial correlation, 280
- Newton's method
- computation, 937–939, 944–945
 - discrete choice models, 672, 696, 723, 741
 - limited models, 767, 797
- New York Stock Exchange, 240
- Neyman-Pearson methodology, 153, 892
- NLS (National Longitudinal Survey of Labor Market Experience), 305
- nonautocorrelation
- assumptions, 324–325
 - CAPM model, 356
 - defined, 15
 - error correction and, 581
 - nonlinear model assumption, 163
 - regression models, 10, 42, 72
- noncentral chi-squared distribution, 487n8
- noncentral F distribution, 852–853
- nonconstructive test, 223
- nonhomogeneous equation system, 820, 822
- noninformative prior, 431
- noninvariance of Wald test, 110
- nonlinear instrumental variable estimator, 183, 545
- nonlinearity, 122–130
- nonlinear least squares
- asymptotic properties of, 196
 - geometric lag model and, 568
 - as modeling framework, 465
 - nonlinear regression models, 496
 - two-step estimation, 183–186
- nonlinear least squares estimator
- computing, 169–170
 - consistency of, 168
 - production function example, 499
 - properties, 193, 196
 - solving explicitly, 934n21

1018 Subject Index

- nonlinear models
 - alternative estimators for, 180–189
 - applications, 171–175
 - Cox test and, 156
 - error correction and, 580
 - general forms, 162–171
 - hypothesis testing and parametric restrictions, 175–180
 - industry structure example, 404
 - maximum likelihood estimation, 496–501
 - Poisson model as, 740
 - nonlinear restriction, 104, 108–110, 130
 - nonlinear systems
 - GLS estimation, 370–371
 - GMM estimation, 369–373
 - maximum likelihood estimation, 371–372
 - simultaneous equation models, 382n6
 - two-stage least squares and, 403–404
 - nonlinear weighted least squares, 687
 - nonnegative definite matrix, 832, 834–836
 - nonnested models
 - choosing between, 152–159
 - specification tests, 682–683
 - testable implications and, 94
 - test statistic for, 751
 - nonnormality
 - large sample tests and, 104–108
 - specification issues, 771–773
 - nonparametric estimation
 - econometrics literature, 708
 - estimation frameworks, 425, 453–459
 - extremum estimators and, 461
 - nonparametric regression, 457–459
 - nonpositive definite matrix, 834–835
 - nonsample information, 388, 394
 - nonsingular matrix, 821
 - nonspherical disturbances, 191–214, 314–318
 - nonstationarity, 632, 647, 650
 - nonstationary process, 631–649
 - nonstochastic regressors
 - ambiguity and, 590–591
 - data generation process, 16
 - finite-sample properties theorem, 193
 - least squares estimator and, 45–46
 - nonstructural models, 379n2
 - normal distribution
 - censored data, 762–764
 - conditional normal distributions, 871–872
 - confidence intervals and, 55
 - depicted, 50
 - disturbances and, 17, 164, 518
 - features, 849–850
 - information matrix, 479
 - likelihood function, 472, 888–889
 - limiting for function, 913–914
 - linear regression model
 - assumptions, 10, 42
 - logit model, 691
 - mixtures of, 529
 - MSL and, 693
 - multinomial models and, 727–728
 - nonlinear restrictions and, 109
 - normit, 687
 - probit model, 666
 - sample moments and, 203
 - sampling and, 531
 - spherical disturbance and, 16n3
 - theorem, 876
 - truncated normal distribution, 757
 - VAR testing and, 593
 - normal equations, 21, 24
 - normal-gamma prior, 436
 - normality
 - assumptions, 17, 50–55, 110
 - Breusch-Pagan LM test, 224
 - Butler and Moffitt method, 693
 - central limit theorem, 262–265
 - least squares, 65
 - linear regression model, 17
 - selection model, 789
 - t distribution value and, 106
 - VAR testing, 590
 - Wald statistic and, 110, 356
 - normalization, 163, 383, 389–390, 470, 669, 825
 - normit, 687
 - null hypothesis
 - ARCH model, 244
 - average log density, 155
 - Box-Pierce test, 269
 - CAPM model, 354
 - Cox test, 158
 - CUSUM test, 136
 - of equality, 289
 - F statistic, 106
 - groupwise heteroscedasticity, 236
 - Grunfeld investment model, 331–332
 - Hausman test, 301, 771
 - of homogeneity, 699
 - of homoscedasticity, 224
 - of interest, 80–81
 - Lagrange multiplier test, 299
 - model constancy, 141
 - no natural, 153
 - nonconstructive test, 223
 - normal distribution, 105
 - significance test for
 - restrictions, 176
 - structural break and, 133
 - test equivalence, 484
 - testing, 323
 - testing restrictions, 95–98
 - Type I and II errors, 892
 - Wald statistic and, 133, 590
 - null matrix, 804
- O**
- Oaxaca's decomposition, 53–54
 - Oberhofer-Kmenta algorithm, 299
 - Oberhofer-Kmenta conditions, 347, 349
 - observationally equivalent theories, 385–386
 - observations. *See also* independent observations
 - with constant terms, 272
 - dependent observations, 73–74, 260, 541
 - deterministic theories and, 3
 - dummy variables and, 117
 - economic analysis and, 624
 - exercise, 39
 - Goldfeld-Quandt test, 223
 - identically distributed, 468
 - insufficient observations, 131–132
 - missing observations, 59–60
 - panel data set, 72–73
 - Poisson regression model, 745
 - time-series process and, 254
 - weighting of, 128
 - OLS. *See* ordinary least squares (OLS)
 - Olsen's reparameterization, 767
 - omission of relevant variables, 148–149, 151
 - omitted variable formula, 148–149
 - omitted variables, 673, 679–680
 - one-period-ahead forecast, 576
 - one step ahead prediction error, 135
 - one-step estimation, 939–940
 - one-to-one function, 844
 - OPG (outer product of gradients) estimator, 481
 - optimality, 663
 - optimal linear predictor, 43–44
 - optimization
 - computation and, 919–946
 - constrained optimization, 842–843

- criterion function and, 461
 matrix algebra, 840
 order, 803, 837, 918–919
 order condition, 203, 389–394, 404, 542
 ordered choice models, 719
 ordinary least squares (OLS)
 absolute value and, 768
 Aitken estimator and, 207
 classical regression, 341
 common factor restrictions and, 585
 FGLS and, 322
 finite-sample properties, 193–194
 GARCH model and, 244
 generalized regression model, 521
 GLS estimator, 342–343
 GMM estimator, 221, 588
 groupwise heteroscedasticity, 235–236
 Grunfeld investment model, 331
 heteroscedasticity, 216–221
 Klein's Model I, 411–413
 maximum likelihood estimation, 211
 method of estimation, 396–397
 as method of moments estimator, 535
 multiplicative heteroscedasticity, 234
 random effects model and, 316
 rational lag model example, 575
 standard error, 323
 superconsistency, 656
 testing unit roots, 637
 truncated regression model, 761
 White estimator, 220
 orthogonality conditions
 disturbances and, 167
 estimation based on, 534–536
 GMM estimator, 182, 314, 409, 540, 545
 method of moments estimation and, 201
 overidentification by, 548
 sum of squares and, 164–165
 orthogonal random variables, 57–59
 orthogonal regression, 23
 orthogonal vectors, 818, 827
 orthonormal quadratic form, 873
 outcomes, 845
 outer product matrix, 828
 outer product of gradients (OPG) estimator, 481
 outliers, 60
 output, 650, 656, 951
 "overdifferencing," 647
 overdispersion, 743–744, 746, 751, 779
 overidentification, 414–415
 overidentified, 130, 548
 overidentifying restrictions, 175, 548

P
p value, 649
 PACF (partial autocorrelation function), 618, 622–624
 panel data. *See also* dynamic panel data model
 characteristics of, 192
 covariance structures, 320–334
 data set, 878
 estimated models, 701
 fixed effects model, 287–293, 694–700
 instrumental variables estimator, 303–306
 microeconomics and, 5
 models for, 283–286
 nonspherical disturbances and robust covariance matrix, 314–318
 for Poisson model, 747–749
 random coefficients models, 318–319
 random effects model, 293–303, 689–694
 samples in, 72–73
 state dependence and, 708
 Panel Study of Income Dynamics (PSID), 283, 305, 709
 parameters. *See also* random parameters
 comparison of estimators, 128
 confidence intervals for, 52–53
 criterion function and, 461
 of distributions, 527–531, 538–540
 empirical moment equation and, 202
 estimable parameters, 469
 estimation with unknown, 227–232
 exactly identified, 129
 function of one parameter, 943–944
 hypothesis testing and, 93
 identifiability of, 462–463
 identification of, 468–470
 Lucas critique, 587
 overidentified, 130
 parameter space, 427
 point estimation, 885–890
 precision parameter, 480
 probability limits, 526–527
 restrictions, 175–180
 system of demand equations, 362
 two-step estimation and, 183–186
 univariate time series, 621–624
 parameter space, 94, 427, 461, 483
 parameter vectors
 condition moment tests, 507
 functional form, 130–131
 Gauss-Newton method, 169
 GMM estimation, 540
 identifiability, 163
 identification, 463
 latent class model example, 442
 LM test statistic, 678
 MSL estimation, 513
 parameter space and, 461
 structural break tests, 133
 testing model instability, 659
 two-step MLE, 508
 Wald criterion and, 139
 parametric estimation
 Bayesian estimation, 429–439
 classical likelihood based estimation, 428–429
 estimation frameworks, 425
 hierarchical Bayes estimation, 444–447
 hypothesis testing, 437–439
 interval estimation, 435
 latent class model, 439–443
 point estimation, 434–435
 parametric models, 192, 451, 708, 792–798
 partial adjustment model, 568
 partial autocorrelation, 617–619
 partial autocorrelation function (PACF), 618, 622–624
 partial correlation, 36
 partial correlation coefficients, 28–31
 partial differences, 272
 partialing out, 27–28
 partial likelihood, 799
 partially linear model, 450
 partially linear regression, 450–452
 partial regression coefficients, 28–31
 partitioned inverse, 100, 695, 824
 partitioned matrices, 822–825
 partitioned regression, 26–27, 118, 300
 Parzen kernel, 455
 Parzen window, 628
 PC-GIVE (computer program), 409n22
 pdf (probability density function), 468, 857, 882, 906
 PDL (polynomial distributed lag), 566
 permanent income, 8, 84, 525, 548

1020 Subject Index

- persistence, 635, 708–709, 729
Personalized System of Instruction (PSI), 675
 P_E test, 178–180
Phillips curve, 251–253, 568–570
Phillips-Perron statistic, 646
Phillips-Perron test, 644–645
piecewise continuous, 122
pivotal quantity, 891
point estimate, 434–435, 595, 885–890
Poisson distribution
 distribution theory, 856
 maximum likelihood model and, 470–471
 MLE, 485–486
 Poisson regression model and, 740
 two-step MLE, 511
 variance bound for, 889–890
Poisson model
 application, 745–747
 censoring and truncation, 774
 censoring application, 774–780
 count data, 740
 latent class model example, 441
 MLE, 521, 742
 negative binomial model and, 744
 nonlinear regression models, 187, 189
 overdispersion, 743
 for panel data, 747–749
 zero-altered poisson model, 749–752
polynomial distributed lag (PDL), 566
polynomials
 ARIMA model, 632
 Hermite polynomials, 926
 inversion in lag operator, 613
 invertible polynomial, 564
 in lag operator, 563, 571, 596
 Taylor series as, 837
pooled regression, 285, 289, 328
population moment equation, 201
population quantity, 19
population regression, 19–20, 42
population regression equation, 7
positive definite matrix, 831, 834–835, 837
positive duration dependence, 794
positive semidefinite matrix, 834
posterior density, 430
posterior odds ratio, 438–439
postmultiplication, 805
Prais-Winsten estimator, 273–276, 318, 325–326, 360
precision, as statistical property, 41
precision matrices, 439
precision parameter, 480
predetermined variables, 380, 382, 393
prediction
 linear regression models and, 93
 maximum likelihood estimator, 686
 models and, 7
 nonlinear models, 186
 with probit model, 686
 regression and, 111–114
prediction criterion, 36, 160
prediction interval, 111, 576
prediction variance, 111–112
predictive test, 137–139
premultiplication, 805
pretest estimator, 149–150, 152
price variable
 cointegrating vector example, 652–653
 deflator data, 951
 as dependent variable, 8n1
 economic analysis and, 624
 as economic variable, 631
 as macroeconomic variable, 649
principal components, 58
principal minor, 817n4
prior beliefs, 430, 435n7
prior distribution, 431–432
prior odds ratio, 438
prior probabilities, 438
probability
 convergence in, 897, 905
 distribution theory, 845–877
 elasticities of, 723
 size of test and, 893
probability density function (pdf), 468, 846, 906, 930
probability distribution
 nonlinear model, 163–164
 ordered data, 738
 population regression, 19
 probability theory, 845–846
 representations of, 858–859
 specific, 849–856
probability limit, 69, 218–219, 526, 536, 904
probability models, 664, 666–667, 675–676
probit, 666, 687
probit model
 bivariate probit models, 710–719
 derivatives, 675
 heteroscedasticity, 680
 LS estimator, 701
 MSL estimation, 515–516
 prediction with, 686
 probability model, 675–676
 with random effects, 694
 structural equations for, 669–670
 weighted least squares, 688
problem of identification, 378, 380, 385–395
production function
 constant elasticity of substitution, 129
 deterministic relationships, 7
 deviations from, 502
 example, 102–104
 generalized example, 498–499
 LAD estimation, 449–450
 problems analyzing, 284
 stochastic frontier model, 505
production models, 12, 339
product limit estimator, 798
product rule, 904
projection, 24–25, 819
projection matrix, 24, 60
projection properties. *See also* asymptotic properties
 of dynamic models, 415–420
 of estimators, 460–465
 of GLS estimator, 208
 of GMM estimator, 540–544
 of MLE, 472–483
 statistical properties of estimators, 460
proportional hazard, 799
proportions data, 686–689
proxy variables, 87–88
pseudodifferences, 272
pseudoinverse, 833
pseudo-MLE, 245–246, 356, 518–521
pseudo-random number generators, 920–921
pseudoregressors, 167, 169, 182, 500
PSI. *See* Personalized System of Instruction (PSI)
PSID (Panel Study of Income Dynamics), 283, 305, 709
Public Use Sample, 721
purchasing power parity theory, 650–652
- ## Q
- Q test, 269, 271
QMLE. *See* quasi-maximum likelihood estimator (QMLE)
QR models. *See* qualitative response (QR) models
quadratic approximation, 837
quadratic forms
 full rank quadratic form, 875–876
 independence of, 876–877

- matrix algebra, 834–837, 839
 - orthonormal quadratic form, 873
 - quadratic hill-climbing method, 938
 - quadrature, 692–694, 928–929
 - qualification indices, 145
 - qualitative choices, 664
 - qualitative response (QR) models
 - discrete choice models, 663
 - econometrics, 689
 - NIST and, 833n12
 - selection in, 790
 - quantile regression, 448
 - quasi differences, 272
 - quasi-maximum likelihood
 - estimator (QMLE), 246, 673–674
 - quasi-Newton methods, 938–939
- R**
- R^2 (coefficient of determination), 439. *See also* sum of squared residuals
 - generalized regression model and, 209
 - Grunfeld investment model, 330
 - hypothesis testing, 678
 - Poisson model, 741
 - Theil U statistic and, 113
 - random coefficients, 318–319
 - random effects model
 - heteroscedasticity, 316–317
 - instrumental variables estimator, 303–306
 - panel data and, 285, 293–303, 689–694
 - persistence and, 729
 - random number generators, 920
 - random parameters
 - logit models and, 728–729
 - MSL estimation, 516–517
 - panel data and, 285–286
 - random parameters logit (RPL) model, 728–729, 734
 - random parameters model, 700
 - random sample
 - consistent estimation, 527–531
 - descriptive statistics, 880
 - method of moments, 526–529
 - multivariate probit models and, 714
 - regression estimation, 621
 - samples and, 878
 - random utility model, 670, 719
 - random variables
 - bivariate random variables, 862–864
 - censored example, 763–764
 - convergence to, 904–905
 - data generating mechanism, 427
 - distribution of function, 856–858
 - distribution theory, 845–846
 - expectations, 847–849
 - hazard function, 859
 - of interest, 155
 - limiting distribution of, 107
 - moments and, 614
 - probability density function, 468
 - probability model example, 676
 - random effects model, 690
 - random vector and, 868
 - theorem 22.1, 757
 - variance of, 847
 - random vector, 868
 - random walk
 - common trends and, 653
 - Dickey-Fuller tests, 637, 643
 - nonstationary processes, 632–636
 - random walk with drift model, 572
 - serial correlation, 263
 - random walk with drift
 - ADF-GLS procedure, 645
 - deterministic trends, 635
 - Dickey-Fuller tests, 639, 643
 - model, 572
 - money demand example, 657–658
 - nonstationary processes, 631, 634
 - testing, 636
 - rank
 - of a matrix, 814–816, 827–829, 874
 - of a product, 828
 - of a symmetric matrix, 828, 832
 - rank condition
 - generalized regression model, 203
 - GMM estimation, 542
 - identification, 389–394
 - nonlinear model example, 404
 - ranking, 664
 - rank two correction, 939
 - rank two update, 939
 - rate of inflation
 - Dickey-Fuller test, 638
 - investment equation and, 21
 - Phillips curve, 251
 - testable implications and, 93–94
 - rational lag model, 573, 575
 - ratio rule, 904
 - RATS (computer program), 244n31, 631
 - recursion, computations and, 698n31
 - recursive model, 383, 715–716
 - recursive residual, 135–137
 - recursive systems, 411
 - reduced form, 379–380, 384, 415–416, 598
 - reduced-form disturbances, 384
 - reduced form equation, 87
 - regressand, 7
 - regression
 - binary choice models, 665–668
 - binary variables in, 116–117
 - changes in R^2 , 34
 - conditional mean, 15, 864
 - with constant term, 28
 - constant term and, 37
 - diagnostics for, 60–61
 - dummy variables in, 117
 - duration model, 792–798
 - gamma model estimates, 129
 - individual coefficients, 27
 - linearity and, 11
 - linear regression model and, 14–15
 - median regression, 448
 - multiple correlation, 36
 - and prediction, 111–114
 - probability models and, 667
 - residual variance in, 866
 - in selection model, 782–784
 - testing significance of, 54–55
 - variables added to, 30
 - without constants exercise, 40
 - regression analysis
 - forecasting and, 33
 - Frisch-Waugh theorem and, 38
 - projection matrix and, 24
 - test statistics, 51
 - regression models
 - assumptions, 75–76
 - asymptotic properties of, 72
 - constant terms and, 15
 - function form, 116
 - interaction term and, 123–124
 - loglinear model, 122–123
 - nonspherical disturbances, 191–214
 - prediction and, 111n8
 - semiparametric analysis, 50
 - truncation, 760–761
 - regression variance, 867-
 - regressors
 - cointegration, 652
 - data generation, 16–17
 - determining appropriateness of, 152
 - identical regressors, 343–344
 - LSDV estimators and, 298
 - nonlinearity and, 124
 - nonstochastic regressors, 16, 45–46, 193, 590–591
 - population regression equation, 7

1022 Subject Index

- regressors (*continued*)
 pseudoregressors, 167, 169,
 182, 500
 stochastic regressors, 47–48, 74,
 280, 307
 theorem, 186
 transformed, 210
 zero values, 174
regularity conditions, 473–474
rejection region, 892
relationships
 cointegration relationships, 658
 conditional moments, 865–867
 deterministic relationships, 2, 7–8
 earnings and education, 9–10
 equilibrium relationship,
 579, 655
 income and consumption, 8
 linear relationships, 13
 marginal moments, 865–867
 persistence, 635
 and random walk, 633
 between variables, 665
reliability ratio, 88
residual
 analysis of variance table
 example, 34
 detrrending and, 635
 dummy variable model, 316
 estimating equilibrium error, 655
 misspecified models, 252
 population regression and, 19
 in regressions, 29
 two-step MLE, 512
residual based tests, 229–230
residual maker, 24, 39
residual variance, 866–867
response, treatment and, 117
restricted least squares, 99–104
restrictions
 common factor restrictions,
 583–586
 degrees of freedom and, 110, 489,
 593, 678
 on disturbance covariance
 matrix, 390
 of equal correlation across
 periods, 693
 nested models and, 93–95
 normalization and, 383
 significance tests for, 175–177
 testing, 172, 414–415, 484,
 548–551
ridge regression estimator, 58
risk set, 798
robust covariance estimations,
 673–674
robust covariance matrix, 314–318,
 518–521
robust estimation
 of asymptotic covariance matrix,
 198–201
 fixed effects model, 314–316
 generalized regression
 model, 192
 GMM, 312, 534
 heteroscedastic regression
 model, 216
 least squares as, 590
 nonnormality, 771
 robustness to unknown
 heteroscedasticity, 226
root mean squared error, 113, 602
root-*n* consistent, 909
roots, 825–834
row rank, 815
row space, 815
row vector, 803
RPL (random parameters logit)
 model, 728–729, 734
rules
 for limiting distributions, 907–908
 matrix multiplication, 806–807
 for probability limits, 904
S
sacrifice ratio, 596–597
sample midrange, 878
sample minimum, 883, 898
sample periodogram, 627–628
sample selection, 713–714, 756,
 781–782
sample variance, 887–888, 918
sampling, 878, 915, 921–922
sampling distribution, 42, 44–45,
 882–885. *See also* normal
 distribution
sampling variance, 46–47, 128, 885
SAS (computer program), 409n22
scalar addition, 809
scalar matrix, 803
scalar multiplication, 805–807, 809
scalar-valued function, 838
scale, 878
scaling, 112–113, 728
scatter diagram, 879–882
scedastic function, 865
Schwartz criterion, 160, 565,
 589, 644
score test, 489
score vector, 476
scoring method. *See* method
 of scoring
seasonal adjustment, 649
second derivatives matrix
 (Hessian), 838
second-order effects, 12
seemingly unrelated regressions
 (SUR) model
 autocorrelation and
 heteroscedasticity, 360–362
 capital asset pricing model,
 351–357
 feasible GLS, 344–347
 generalized least squares,
 341–343
 identical regressors and, 343–344
 linkages in disturbances, 342
 maximum likelihood estimation,
 347–351, 357–360
selection model
 estimation in, 784–787
 normality assumption, 789
 qualitative response models, 790
 regression in, 782–784
 treatment effects, 787–789
semilog earnings equation, 664
semilog model, 12, 116, 123
semiparametric, 50, 164, 192,
 700–702
semiparametric estimation
 binary choice models, 452–453,
 690, 704–706
 estimation frameworks, 425
 extremum estimators and, 461
 fixed effects model, 699
 LAD estimation, 448–450
 partially linear regression,
 450–452
semiparametric model, 799
serial correlation
 common factor model, 278–279
 disturbance processes, 256–259
 efficient estimator, 271–273
 estimation, 273–277
 examples, 250–253
 forecasting with autocorrelation,
 279–280
 GMM estimator, 268
 least squares estimator, 265–267
 testing for autocorrelation,
 268–271
 time-series data, 253–256,
 259–265
Shazam (computer
 program), 244n31
short rank, 13–14, 83, 815–816
shuffling, 920
SIC33 (primary metals industry),
 102n5, 948
signature of the matrix, 827
significance level, 893
significance of group effects, 289
significance tests, 175–177
simple-to-general approach, 151,
 564, 583

- Simpson's rule, 928
 simulated annealing, 935
 simulated moments, 931–933
 simulation, 693
 simulation-based estimation, 426
 simultaneous-equations bias, 379n3, 396
 simultaneous-equations models
 discrete choice models, 716
 dynamic models, 415–420
 fundamental issues, 378–385
 Klein's Model I, 411–413
 single equation, 396–404
 specification tests, 413–415
 system methods of estimation, 404–411
 VARs and, 586, 588, 597
 single equation, 396–404, 414
 singular systems, 362–369
 singular value decomposition, 833
 size distributions, 854, 893
 skewness
 choice based sampling and, 673
 estimation, 454, 879
 nonnormality, 772
 Slutsky theorem
 discrete choice models, 668
 distribution theory, 903–904
 generalized method of moments, 527, 538
 generalized regression model, 204
 least squares, 70, 85
 nonlinear regression models, 184
 serial correlation, 265
 simultaneous-equations models, 399
 smoothing function, 452, 457–458
 software packages, 244n31, 377, 409n22, 631
 Solow's technological change data, 949
 spanning vectors, 813
 specification, 564–565, 664, 768–773
 specification analysis, 148–161, 582–583
 specification error, 783
 specification tests
 binary choice models, 679–683
 conditional moments, 505–508
 distribution theory, 896
 GMM estimation, 549
 Hausman's specification test, 80–83, 301–303
 for nonlinear regressions, 178–180
 panel data, 323–324
 simultaneous-equations models, 413–415
 specificity, 924
 spectral analysis, 624, 628–631.
 See also frequency domain
 spectral decomposition, 827, 832
 spectral density function, 625–627
 spherical disturbances, 15–16, 192–193
 spline function, 120
 square matrix, 803, 816–817, 840
 square summable, 619
 stability
 of demand equations, 658
 of dynamic equation, 573–576
 dynamic models, 417–418
 impulse response functions, 593–594
 testing model, 134–143
 vector autoregression and, 602
 Standard and Poor's Index, 240
 standard deviation, 647, 848, 878
 standard deviation units, 123
 standard error
 bootstrapping method, 113
 comparison of estimators, 705
 delta method, 128, 172–173, 175, 776
 estimation, 885
 GMM estimator and, 540
 Grunfeld investment model, 330
 LAD estimation, 450
 least squares, 49, 267
 MCS estimator and, 689
 OLS estimation, 323
 Phillips curve example, 569
 probability model example, 676
 Taylor series, 741
 standard error of the regression, 49
 standard normal cumulative distribution function, 926
 standard normal distribution, 850
 standard normal vector, 873–874, 876
 starting values, 171
 Stata (computer program), 244n31, 377, 742
 state changes, time effects as, 283
 state dependence, 690, 708–710
 stationarity
 ARMA model, 611–614
 economic variables and, 631
 manipulating series, 649
 MLE, 483
 models with lagged variables, 559
 regression models and, 649
 serial correlation, 256, 258, 261
 stationary, 559
 stationary conditions, 241–242
 stationary process, 74, 609–631
 statistic, 882
 statistical interference, 50–55, 200–201
 statistical properties, 41, 47
 statistical tables, 953–958
 statistics
 estimation and inference, 878–882
 as estimators, 882–885
 sufficient statistics, 530
 steepest ascent method, 937
 stepwise model building, 152
 Sterling's approximation, 928
 stochastic elements, 3, 8, 688
 stochastic frontier model, 429, 501–505
 stochastic regressors, 47–48, 74, 280, 307
 stochastic volatility, 238
 stock market returns
 ARCH model and, 238
 economic analysis and, 624
 fast Fourier transform, 631
 long memory models, 647
 Stone's expenditure system, 362
 strike duration data, 952
 strong exogeneity, 591
 strong law of large numbers, 901–902
 strongly exogenous variables, 382
 strongly trended, 632, 635
 strong stationarity, 260, 612n5
 structural breaks
 gasoline consumption study, 136–137
 model constancy and, 141
 modeling for, 130–134
 testing model instability, 660
 unknown timing of, 139–143
 structural change, 116–147
 structural disturbances, 382, 384
 structural equations, 379, 669–670
 structural models, 87, 379n2, 559–560, 587, 595, 597
 structural VARs, 595–600
 structures, 386, 390
 Student's *t* distribution, 954
 submatrices, 822
 subspace, 813
 substitution, 12, 594
 sufficient condition, 840
 sufficient statistics, 530
 summability, 264
 sum of squared residuals
 as criterion, 31
 Lagrange multiplier test, 177
 least squares regression and, 299
 testing procedures based on, 159

1024 Subject Index

- sum of squares. *See also* generalized sum of squares
change and, 30, 39
as criterion function, 537
example, 171
minimizing, 182
orthogonality condition and, 164–165
Phillips curve example, 569–570
sum rule, 904
sums of values, 807–808
superconsistent, 572, 656
superfluous variables, 148
supply equation, 378
supremum test, 141, 602
SUR model. *See* seemingly unrelated regressions (SUR) model
survival function, 792, 795, 797, 858
survival model, 800–801
symmetric matrix
characteristic roots/vectors, 830
decomposition, 835
idempotent, 832
matrix algebra, 803, 839
rank of, 828
system methods of estimation, 396, 404–411, 413
systems of equations
matrix algebra, 819–822
simultaneous-equations models, 378–381
singular systems, 362–369
- T**
 t distribution, 851–853, 954
 t ratio
least squares, 83
MCS estimator and, 689
MPC example, 110
restricted investment equation, 99
robust estimation and, 201
significant effects, 739n65
single linear restriction and, 101
test statistic, 51
White estimator and, 220
 t statistic, 104–105
 t test, 106, 632
Taylor series
asymptotic normality, 464, 478
CES production function, 129, 162
classical model, 13
computation and optimization, 937
differentiation and, 837–840
discrete choice models, 687
distribution theory, 849
GMM estimation, 543
inference, 109
least squares, 70
limiting distribution and, 914
method of moments estimator, 532
Newton's method, 937
regression models, 165–166, 178–179
regularity conditions, 474
second-order, 367
standard error, 741
testable implications, 93–94
testing. *See also* hypothesis testing; specification tests
aggregation bias, 341
for autocorrelation, 268–271
based on LM statistic, 177–178
causality, 590, 593
classical procedures, 892–895
for cointegration, 655–657
common factors, 278–279, 585–586
confidence intervals, 895–896
consistent test, 894–895
CUSUM test, 135–137
for GARCH effects, 244–245
GPH test, 649
for heteroscedasticity, 222–225, 508
for homoscedasticity, 506
maximum likelihood estimation, 484–492
model stability, 134–143, 659–660
nonlinear restriction, 108–110
nonnormal disturbances and, 104–108
for overdispersion, 743–744
overidentifying restrictions, 414–415
Phillips-Perron test, 644
predictive test, 137–139
for random effects, 298–301
recursive residuals, 135–137
restrictions, 172
score test, 489
significance tests, 175–177
size of, 893
for structural breaks, 130–134
summary of procedures, 271
unit root, 636–637, 639–643
vector autoregression, 589–590
for zero correlation, 712
test statistics
cointegration, 657
confidence interval test, 491
deriving behavior of, 141
Dickey-Fuller tests, 645
feasible GLS, 347
heteroscedasticity, 508
hypothesis testing, 465, 678
income elasticity, 53
known distributions, 155
likelihood function, 494
long run models, 659
marginal distributions of, 55
nonlinear restrictions and, 109
nonnested models, 751
nonnormal disturbances and, 105
reformulated, 156
regression analysis and, 51
structural change, 143
theorems, 486–487, 489
Theil U statistic, 113
three-stage least squares (3SLS), 405–407, 414
threshold effect, 120
time profile, 120
time series data
analysis of, 284
autocorrelation and, 192, 250
covariance structures for, 320–334
Durbin-Watson test and, 126
empirical studies and, 283
ergodicity of functions theorem, 541
heteroscedasticity in, 215
homoscedasticity, 192
macroeconometrics and, 5
models with lagged variables, 559
regression estimation, 621
serial correlation, 253–256, 259–265
time series process
cointegration, 649–660
collinearity and, 154
dependent observations and, 73–74
distinguishing, 5
estimation, 878
homoscedasticity and, 238
least squares and, 566
modeling, 76, 111n8
nonstationary processes and unit roots, 631–649
problems with, 284
stationary stochastic processes, 609–631
time trend
cointegration, 652
Dickey-Fuller tests, 644
investment equation and, 21–22
as regression variable, 27
time-varying covariates, 792
time window, 254
tobit model

censored data, 764–766
 censoring application, 774–780
 LM test of normality, 771
 misspecification and, 770
 multiplicative heteroscedasticity
 in, 768
 total variation, 31
 trace, 829–830, 832
 transformation
 achieving stationarity via, 631
 Box-Cox transformation,
 173–175
 Box-Jenkins approach, 620
 continuous distributions, 921
 manipulating series via, 649
 matrix algebra, 844–845
 stabilizing transformation, 908
 transitions, time effects as, 283
 translog
 example, 162–163, 451–452
 systems of equations, 366–369
 translog model
 demand and production studies,
 12–13
 inference, 104
 nonlinear cost function, 126
 production function **example**,
 103, 499n17
 transposition, 804, 807
 trapezoid rule, 928
 treatment and response, 117
 treatment effect, 787–789
 trend stationary, 634, 636, 639,
 643, 645
 triangular matrix, 803
 triangular system, 383, 395, 397
 trigamma function, 928
 truncated bivariate normal
 distribution, 781
 truncated distribution, 757–760
 truncated mean, 759
 truncated normal distribution, 757,
 759–760, 929, 932
 truncated random variable, 757
 truncated variance, 759
 truncation
 improving estimator with,
 627–628
 model for counts, 773–774
 moments of truncated
 distributions, 758–760
 truncated distributions, 757
 truncated regression model,
 760–761
 TSP (computer program),
 244n31, 377, 409n22,
 919n1, 942
 Tukey window, 628
 Twinsburg, Ohio, 87–88

two-stage least squares (2SLS)
 3SLS and, 406
 estimator, 380
 Klein's Model I, 412–413
 least squares, 74–80
 method of estimation, 398–400
 nonlinear regression models, 183
 nonlinear systems and, 403–404
 panel data, 313
 specification tests, 414
 two-step estimation
 of credit scoring model, 186–189
 heteroscedasticity, 227–228, 231
 limited models, 784
 nonlinear least squares,
 183–186
 two-step maximum likelihood
 estimation, 508–512
 two-step nonlinear least squares,
 740n67
 two-variable regression model,
 38–39, 46–47
 type I error, 133, 152, 892–893
 type II error, 892–893

U

unbalanced panel, 293, 689
 unbalanced sample, 685
 unbiasedness
 asymptotic unbiasedness, 917
 best linear unbiased (BLU), 193
 best linear unbiased estimator
 (BLUE), 890
 efficient unbiased estimator, 886,
 888–890
 establishing conditionally, 47
 finite-sample results, 41
 least squares estimator,
 44–45, 151
 linear unbiased estimator, 46–48
 minimum variance
 unbiasedness, 887
 MVLUE, 44, 890
 nonlinear restrictions and, 109
 as statistical property, 41, 460
 unbiased estimator, 886
 unbiased test, 894
 uncentered moment, 527
 unidentified structure, 385
 uniform kernel, 455
 uniformly most powerful
 (UMP), 894
 unit root, 631–650
 univariate autoregression, 574
 univariate time series, 609,
 619–621
 unordered choice models, 719
 upper triangular **matrix**, 832

V

VAR. *See* vector autoregression
 (VAR)
 variable metric algorithm, 939
 variables. *See also* lagged variables;
 random variables
 absence of multicollinearity, 163
 added to regressions, 30
 bias caused by omission of,
 148–149
 censored variables, 762–763
 changes in R^2 , 34
 deterministic relationships
 among, 7
 difficulties measuring, 4
 economic variables, 619n11, 631
 endogenous variables, 381, 404,
 416, 587
 existence in theories, 84
 explained variable, 7
 FDI variables, 700
 irrelevant variables, 150–151
 jointly dependent variables, 379
 linear relationships and, 13
 lognormal variables, 854
 macroeconomic variables,
 575, 596
 matrix algebra and, 23
 measurement error and, 85–86
 nonlinearity in, 122–130
 predetermined variables, 380,
 382–383
 proxy variables, 87–88
 relationships between, 665
 superfluous variables, 148
 univariate time series and, 609
 VAR model for, 596
 variance
 analysis of, 867
 attenuation of, 761
 conditional variance, 47, 241, 865
 confidence intervals, 892
 decomposition of, 866
 of disturbances, 15–16
 least squares estimator, 48–49,
 56, 266–267
 of the median, 925
 Poisson distribution, 889–890
 of random variables, 847
 tests of structural breaks, 133–134
 truncated variance, 759
 variance inflation factor (VIF), 57
 variation, 31, 37
 vector autoregression (VAR)
 analyzing series as, 649
 cointegration, 654–655
 error correction and, 654
 estimation, 588–589

1026 Subject Index

- vector autoregression (*continued*)
exogeneity, 590–592
GMM, 555
Granger causality, 592–593
impulse response functions, 593–595
lagged variables, 574, 586–605
in microeconomics, 602–605
model forms, 587–588
policy analysis, 596–602
stability, 602
structural VARs, 595–596
testing, 589–590, 656
- vector moving average (VMA), 596–597
- vectors
 cointegrating vectors, 650, 652–653, 659
 column vector, 803
 gradient vector, 838
 length of, 818
 linear combinations, 811
 matrix algebra, 825–834
 normal vector, 873–875
 random vector, 868
 spanning vectors, 813
 vector multiplication, 805
- vector space
 basis for, 813
 column space, 814
 matrix algebra, 809–810
 velocity of money, 658
- VIF (variance inflation factor), 57
- VMA (vector moving average), 596–597
- volatility, market, 238, 647
- W**
- Wald criterion
 chi-squared test and, 302
 parameter vectors, 139
 testing restrictions, 96, 415
- Wald statistic
 as alternative test, 328–329
 assumption of normality and, 110
 condition moment tests, 507
 as exponential family, 530
 feasible GLS, 347
 functional form, 141
 GMM estimation, 548, 550–551
 Grunfeld investment model, 331
 hypothesis testing, 177, 327, 741
 inference, 106
 least squares, 81, 83, 356
 likelihood function and, 494
 likelihood test, 491
 limiting distribution of, 107–108
 linear regression model, 494
 model based tests, 230
 MSL estimation, 514
 municipal expenditures
 example, 605
 null hypothesis and, 133, 323–324
 restrictions and, 484
 robust estimation and, 200–201
 significance tests for restrictions, 175–177
 tobit model, 775
 VAR testing, 590
 White estimator, 220
- Wald test
 application example, 491
 CAPM model, 356
 F statistic, 593
 functional form, 134
 GMM counterpart, 549–551
 GMM estimation, 548
 Grunfeld investment model, 331
 hypothesis testing, 115, 465, 484, 486–488, 676
 least squares, 82
 model based tests, 230
 noninvariance of, 110
 Poisson distribution, 745
 significance test for
 restrictions, 176
 specification analysis, 158
 testing for zero correlation, 712
 travel mode choice example, 733
 type I error and, 133
 usability of, 139
 White estimator, 220
- weak law of large numbers, 900
- weakly exogenous variables, 382, 659–660
- weakly stationary, 254, 612
- weak stationarity, 260
- websites
 BEA, 282, 948
 economagic.com, 948
 Fair data download, 774, 952
 NIST, 833n12
- Weibull model
 discrete choice models, 667, 675, 695, 771
 limited models, 794–798, 800–801
- weighted average, 301, 567
- weighted endogenous maximum likelihood (WESML) estimator, 673
- weighted least squares (WLS)
 classical regression, 240
 GMM estimation, 537
 heteroscedasticity, 216, 224–227
 log-likelihood function, 688
 probit models, 688
 two-step estimation, 231
 weighting functions, 929
 weighting matrix, 205, 207, 295n12, 312, 400–401, 409, 539, 544
 weighting of observations, 128
 well behaved data, 478, 483
- White estimator
 CAPM model and, 356
 generalized regression model, 199, 201
 GMM estimation, 546
 heteroscedasticity, 220–221
 panel data, 315–316
 pseudo-MLE, 520
 regression equations, 373
 serial correlation, 267
 simultaneous-equations models, 401, 410
- white noise
 Dickey-Fuller tests and, 643
 differencing and, 635
 fractional integration, 647
 regression models and, 649
 serial correlation, 257
 stationary stochastic processes, 609, 611
 testing for, 622
 time series and, 635
 White's test, 222–224, 324, 330
- windowing, improving estimator with, 627–628
- Wishart distribution, 445
- Wishart prior density, 444
- within-groups estimator, 289–290
- WLS. *See* weighted least squares (WLS)
- Wold's theorem, 593, 619–620
- Wu statistic, 83
- WZ (with zeros) model, 750n75
- Y**
- Yule-Walker equations, 266, 616
- Z**
- ZAP (zero-altered Poisson) model, 750n75
- ZAP zero-altered poisson model, 749–752
- zero correlation, 712
- zero matrix, 804
- zero mean, 14
- zeros, blocks of, 357–360, 589
- ZIP (zero inflated Poisson) model, 750n75, 751, 779–780